

# HARLEQUIN

FIXINGS & SEALANTS LTD.

**Paslode**  
Impulse

**SPIT**

**DEWALT**  
High Performance Professional Tools

**Panasonic**  
ideas for life

**BOSCH**

**Makita**

**SENCO**

**Quick Drive**

**trend**  
routing technology

**EVER**  
**BUILD**

**bond it**

**Siroflex**

**C-T-1**

**Rapier**  
Starturn

**evolution**

**RAWL**  
FIXINGS

**FORGEFIX**  
THE SIMPLE SOLUTION

**POWER TOOLS & ACCESSORIES**

2

**PASLODE TOOLS & ACCESSORIES**

4

**DRILLING / CUTTING**

8

**HAND TOOLS**

14

**SCREWS, FIXINGS & ACCESSORIES**

18

**DIAMOND BLADES & ABRASIVES**

28

**ANCHORBOLT FIXINGS**

30

**STRUCTURAL FIXINGS**

33

**POWER & LIGHTING**

34

**WORKWEAR / SAFETY**

35

**SEALANTS & ADHESIVES**

43

*The Choice  
of the Professionals*

**ISSUE 11**

**2013**

**SPECIAL CONTRACT PRICES AVAILABLE — PLEASE CONTACT ONE OF OUR SALES ADVISORS WITH YOUR REQUIREMENTS**

EUROCARD  
MasterCard

VISA

DELTA

VISA  
Electron

SWITCH  
SOLO

JCB  
JCB

AMERICAN  
EXPRESS

E&O



**A SMALL SELECTION OF SOME OF THE MORE  
POPULAR TOOLS ARE SHOWN HERE.**



**PLEASE CONTACT OUR SALES HOTLINE ON 01563 545 266  
 FOR ALL CURRENT PRICES AND PRODUCTS TO SUIT YOUR EXACT REQUIREMENTS.**

**IM65**

Fires Brads 19-64mm

**IM65A**

Fires Brads 19-64mm

**IM200**Fires Staples  
16 - 50 mmNow comes  
with 2nd battery**IM350+**Increased  
accuracy**PPN35i**Intelligent  
fuel injection  
system**IM90i**The  
professional's  
choice

## Brad Packs for IM65 Finish Nailer

For IM65 Finish Nailer. All packs contain 2000 brads and 2 high performance mini fuel cells.

Order Code	Description	Paslode Ref.
53-0N24A	16mm Brads Galv	921585
53-0N24	19mm Brads Galv	921586
53-0N25	25mm Brads Galv	921587
53-0N26	25mm Brads St/St	921593
53-0N27	32mm Brads Galv	921588
53-0N28	38mm Brads Galv	921589
53-0N29	38mm Brads St/St	921594
53-0N30	45mm Brads Galv	921590
53-0N31	50mm Brads Galv	921591
53-0N32	50mm Brads St/St	921595
53-0N33	63mm Brads Galv	921592
53-0N34	63mm Brads St/St	921596

## Handy Packs for IM350+ Strip Nailer

Each pack contains 1100 Nails & 1 Fuel Cell.

Order Code	Description	Paslode Ref.
53-0N03	51 x 2.8mm Ring Galv +	141256
53-0N04	63 x 2.8mm Ring Bright	141258
53-0N05	63 x 2.8mm Ring Galv +	141259
53-0N06	63 x 2.8mm Ring HDGV	141260
53-0N83	63 x 3.1mm Ring Galv +	141263
53-0N84	63 x 3.1mm Ring HDGV	141264
53-0N08	75 x 3.1mm Ring HDGV	141265
53-0N09	90 x 3.1mm ST HDGV	141267
53-0N07	63 x 2.8mm Ring St/St	141261
53-0N85	51 x 2.8mm Ring St/St	141257
53-0N86	80 x 3.1mm Ring St/St	141266

## Brad Packs for IM65A Finish Nailer

For IM65A Finish Nailer. All packs contain 2000 brads and 2 high performance mini fuel cells except where stated.

Order Code	Description	Paslode Ref.
53-062	32mm Angle Brads	300270
53-062A	45mm Angle Brads	300272
53-062B	38mm Angle Brads	300271
53-063	51mm Angle Brads	300273
53-063A	51mm Angle Brads (Carlton 12000)	300373
53-063B	63mm Angle Brads	300274

## Staple Packs for IM200 Stapler

All packs contain 2100 Staples & 3 high performance mini Fuel Cells.

Order Code	Description	Paslode Ref.
53-036	19mm Staples	921368
53-037	25mm Staples	921369
53-038	35mm Staples	921370
53-039	50mm Staples	921371

## Nail & Fuel Packs for IM350+ Strip Nailer

Order Code	Description	Paslode Ref.	Nail Qty.	Fuel Cells
53-0N10	51 x 2.8mm Ring Br	141202	3300	3
53-0N11	51 x 2.8mm Ring Galv +	141204	3300	3
53-0N12	57 x 2.8mm Ring Galv +	141206	3300	3
53-0N13	63 x 2.8mm Ring Br	141208	3300	3
53-0N14	63 x 2.8mm Ring Galv +	141210	3300	3
53-0N15	63 x 2.8mm Ring HDGV	141211	3300	3
53-0N81	63x3.1mm Ring Galv +	141221	2200	2
53-0N82	63 x 3.1mm Ring HDGV	141222	2200	2
53-0N17	75 x 3.1mm Ring Br	141226	2200	2
53-0N18	75 x 3.1mm Ring Galv +	141227	2200	2
53-0N19	75 x 3.1mm Ring HDGV	141228	2200	2
53-0N16	75 x 3.1mm Unilock HDGV	141229	2200	2
53-0N21	90 x 3.1mm St Br	141233	2200	2
53-0N22	90 x 3.1mm St Galv +	141234	2200	2
53-0N20	90 x 3.1mm St HDGV	141235	2200	2
53-0N23	90 x 3.1mm Unilock HDGV	141236	2200	2





## Nail Fuel Pack for PPN35i Nailer

Order	Description	Paslode	Nail	Fuel
53-009	3.4x35mm Twisted Nails	141185	2500	2

## Nail & Fuel Packs for IM90i Framing Nailer

Order Code	Description	Paslode Ref.	Nail Quantity
53-010	51mm x 2.8mm Ring Br	142005	3750
53-011	51mm x 2.8mm Galv +	142007	3750
53-013	63mm x 2.8mm Ring Br	142011	3750
53-014	63mm x 2.8mm Galv +	142013	3750
53-014A	63mm x 3.1 Galv +	142024	2500
53-015	63mm x 2.8mm Ring HDGV	142014	3750
53-015A	63mm x 3.1mm Ring HDGV	142025	2500
53-017	75mm x 3.1mm Ring Br	142029	2500
53-018	75mm x 3.1mm Galv +	142030	2500
53-019	75mm x 3.1mm Ring HDGV	142031	2500
53-020	90mm x 3.1mm St HDGV	142039	2500
53-021	90mm x 3.1mm St Br	142035	2500
53-021A	90mm x 3.1mm St Ring Br	142036	2500
53-022	90mm x 3.1mm St Galv +	142037	2500
53-022A	90mm x 3.1mm HDGV Galv	142040	2500
53-023	90mm x 3.1mm Ring Galv+	142038	2500

## Staples suitable for S200 S16

The S200-S16 Framing Stapler is great for floor decking, roof sheathing, plywood sheathing and insulation. Durable, for everyday use and long tool life. Top load magazine for easy reload and reduced waste. High powered and versatile this 16 gauge heavy duty stapler is ideal for repetitive industrial applications.



Order Code	Gauge	Length	Point / Finish	Box Qty	Paslode Ref.
53-305	S16	19mm	CH Galv	50,000	730004
53-306	S16	22mm	CH Galv	20,000	730048
53-308	S16	25mm	CH Galv	50,000	730002
53-309	S16	28mm	DIV Galv	50,000	730001

## PASLODE ACCESSORIES



Order Code	Description	Paslode Ref.
53-040	Impulse Battery Cell	404717
53-041	Impulse Batter Cell	402500
53-042	Battery Charger	35460
53-043	AC-DC Adaptor	900506
53-044	Paslode In Car Charger Adaptor	900507
53-045	Battery Charger Car Adaptor 12v Orange	900507
53-046	Battery Charger + A/C Adaptor	900200
53-047	Impulse Cleaning Kit	13060
53-048	Safety Glasses (Clear)	402510
53-049	Safety Glasses (Orange)	11117
53-050	Leather Belt	1099
53-051	IM350 No-Mar Element Standard	404705
53-051M	IM350 No-Mar Element Modified	12082
53-051N	IM90 No-Mar Work Tip	13221
53-052	Lubricating Oil	401482
53-053	Aerosol Degreaser	219086

## Handy Packs for IM90i Framing Nailer

Each pack contains 1250 Nails & 1 Fuel Cell.

Order Code	Description	Paslode Ref.
53-012	51mm x 2.8mm Ring St/St	142045
53-016	63mm x 2.8mm Ring St/St	142047
53-019A	80mm x 3.1mm Ring St/St	142050



### AUTHORISED REPAIR CENTRE

- **SALES**
- **WARRANTY REPAIRS**
- **SERVICING**
- **COLLECTION SERVICE AVAILABLE**




### OPERATOR TRAINING AND CERTIFICATION (IN HOUSE or ON SITE)



## NAILS / PINS for P370



**Fully automatic Spitfire P370 is the easiest tool in the market to disassemble and maintain.**

Order Code	Description
15-041	25mm Collated Nails (Box 500)
15-042	30mm Collated Nails (Box 500)
15-044	40mm Collated Nails (Box 300)
15-045	50mm Collated Nails (Box 300)
15-046	60mm Collated Nails (Box 300)
15-050	15mm Collated Pins for Steel/Concrete
15-051	20mm Collated Pins for Steel/Concrete
15-052	25mm Collated Pins for Steel/Concrete
15-053	30mm Collated Pins for Steel/Concrete
15-054	35mm Collated Pins for Steel/Concrete
15-055	40mm Collated Pins for Steel/Concrete
15-056	50mm Collated Pins for Steel/Concrete
15-057	60mm Collated Pins for Steel/Concrete
15-113A	Red Cartridges
15-115B	Brown Cartridges
15-115G	SC 9-50 50mm Steel Pins
15-115H	SC 9-60 60mm Steel Pins
15-115I	SC 9-70 70mm Steel Pins
15-116	C9-25 25mm Concrete Pins
15-116F	C9-70 70mm Concrete Pins
15-116G	C9-80 80mm Concrete Pins
15-116H	C9-90 90mm Concrete Pins

**BOX QUANTITY 100**

## NAILS / PINS for 700P & 800P



**Fastest fix for drywall contractors**



**\*10 strip collation (suitable for use in 20 and 40 pin magazines) + 1 x Fuel Cell.**

Order Code	Description	Length
15-203	Hard Concrete Pins HC6 15	15 mm
15-203B	Hard Concrete Pins HC6 22	22 mm
15-203C	Hard Concrete Pins HC6 27	27 mm
15-203D	Hard Concrete Pins HC6 32	32 mm
15-203E	Standard Concrete Pins C6 20	20 mm
15-203F	Standard Concrete Pins C6 25	25 mm
15-203G	Standard Concrete Pins C6 30	30 mm
15-203H	Standard Concrete Pins C6 35	35 mm

**BOX QUANTITY 500**

## CARTRIDGE STRIPS & CARTRIDGES



Order Code	Colour	Strength
15-027	Green Strips	Low
15-028	Yellow Strips	Low/Medium
15-029	Red Strips	Med/High
15-030	Black Strips	Extra High

Order Code	Colour	Strength
15-112	Yellow	Medium
15-113	Red	Med/High
15-113A	Red	High

**BOX QUANTITY 500**

## CARTRIDGE TOOL NAILS

Order Code	Size mm	
15-060	16mm Drive Pins for DX450	
15-060A	19mm Drive Pins for DX450	
15-060B	22mm Drive Pins for DX450	
15-060C	27mm Drive Pins for DX450	
15-060G	47mm Drive Pins for DX450	
15-060H	52mm Drive Pins for DX450	
15-060I	57mm Drive Pins for DX450	
15-060J	62mm Drive Pins for DX450	
15-060K	72mm Drive Pins for DX450	
15-060L	82mm Drive Pins for DX450	
15-060M	97mm Drive Pins for DX450	

For fixings into steel, concrete and brickwork. Suitable for DX450 / DX460 and similar.

Order Code	Size mm	
15-061*	16mm Drive Pins for DX460	
15-061A*	19mm Drive Pins for DX460	
15-061B*	22mm Drive Pins for DX460	
15-061C*	27mm Drive Pins for DX460	
15-061D*	32mm Drive Pins for DX460	
15-061E*	37mm Drive Pins for DX460	
15-061F*	42mm Drive Pins for DX460	
15-061G*	47mm Drive Pins for DX460	
15-061H*	52mm Drive Pins for DX460	
15-061I*	57mm Drive Pins for DX460	
15-061J*	62mm Drive Pins for DX460	
15-061L*	72mm Drive Pins for DX460	

**BOX QUANTITY 500**

**\*Complete with plastic 8mm washer**



## AUTHORISED REPAIR CENTRE for PAT & PULSA TOOLS

- **SALES**
- **WARRANTY REPAIRS**
- **SERVICING**
- **COLLECTION SERVICE AVAILABLE**

## OPERATOR TRAINING AND CERTIFICATION (IN HOUSE or ON SITE)

## Nails suitable for PSN90 & PSN100

The high power and versatile PSN90 & PSN100 Pneumatic Framing Nailers have been tested in tough conditions and are built to last.

Order Code	Length	Nail Diameter	Shank Finish	Box Qty	Paslode Ref.
53-100	75mm	3.1mm	ST P BR	4,000	090077
53-101	75mm	3.1mm	RG P BR	4,000	140060
53-102	75mm	3.1mm	ST P Galv Plus	4,600	141006
53-104	75mm	3.1mm	RG P HDGV	4,100	100588*
53-105	51mm	2.8mm	RG P BR	8,000	092619
53-107	51mm	2.8mm	RG P Galv Plus	8,000	141002
53-112	63mm	2.8mm	ST P BR	6,600	092615
53-113	63mm	2.8mm	RG P BR	6,600	090102
53-114	63mm	2.8mm	RG P Galv Plus	6,600	141003
53-117	75mm	2.8mm	RG P BR	5,000	140057
53-118	63mm	3.25mm	ST P HDGV	4,000	140235
53-120	88mm	3.25mm	HEL P HDGV	3,000	140241*
53-121	90mm	3.1mm	ST P BR	4,000	140025
53-122	90mm	3.1mm	RG P BR	3,500	140062
53-123	90mm	3.1mm	ST P Galv Plus	4,000	141008
53-124	90mm	3.1mm	ST P HDGV	4,000	140389*
53-125	90mm	3.1mm	UNI LOCK HDGV	3,500	114887
53-126	90mm	3.1mm	RG P Galv Plus	3,800	141011

\* Order to order, minimum order quantities apply.

## Nails suitable for F250S PP

The F250PP allows users to drive hardened steel treated nails through pre-drilled holes in straps, joist hangers and connector plates.

Order Code	Length	Nail Diameter	Shank Finish	Box Qty	Paslode Ref.
53-402A	38mm	3.75mm	Hardened Steel	3,000	650014

## Brad Packs suitable for FN1665.1 16 Gauge Brad Nailer

FN1665.1 is a small, lightweight, versatile tool. Ideal for all send fix finishing.

Order Code	Gauge	Length	Shank Finish	Paslode Ref.
53-407	F16	25mm	Galv	395061
53-408	F16	32mm	Galv	395063
53-409	F16	38mm	Galv	395065
53-411	F16	50mm	Galv	395069
53-412	F16	63mm	Galv	395071

BOX QUANTITY 5,000

## Angled Brads for FN16A 65

This nailer has a distinctive angled magazine for easy access to smaller spaces, and is ideal for all second fix finishing.

Order Code	Gauge	Length	Finish	Paslode Ref.
53-062	F16	32mm	Galv	300270
53-062A	F16	45mm	Galv	300272
53-062B	F16	38mm	Galv	300271
53-063	F16	51mm	Galv	300273
53-063B	F16	63mm	Galv	300274

## Brad Packs for FN1835 & FN1850

Lightweight and compact brad nailer, ideal for all interior fine finishing work.

Order Code	Gauge	Length	Shank Finish	Paslode Ref.
53-142	F18	16mm	Galv	395192
53-143	F18	19mm	Galv	319804
53-144	F18	25mm	Galv	319806
53-145	F18	32mm	Galv	395194

BOX QUANTITY 2,000

## Brads suitable for FN1850 ONLY

Order Code	Gauge	Length	Shank Finish	Paslode Ref.
53-147	F18	38mm	Galv	920007
53-148	F18	44mm	Galv	920008
53-149	F18	50mm	Galv	920009

## PSN90



## PSN100



## F250S PP



## FN1665.1



## FN16A 65



## FN1835 & FN1850



## MASONRY DRILLS



Designed for peak performance and long life. The heat treated shank supports a quality tungsten carbide tip suitable for both rotary and rotary impact drilling.

Order Code	Diameter mm	Length mm
17-001	3	60
17-002	4	75
17-003	4.5	85
17-004	5	85
17-006	5.5	85
17-007	5.5	150
17-008	6	100
17-009	6	150
17-012	6.5	100
17-013	6.5	150
17-016	7	100
17-017	7	150
17-018	7	300
17-020	8	120
17-021	8	150
17-022	8	200
17-025	9	120
17-027	10	150
17-028	10	200
17-030	10	400
17-032	12	150
17-033	12	200
17-035	12	400
17-036	13	150
17-039	13	400
17-040	14	150
17-041	14	200
17-043	14	400
17-047	16	300
17-048	16	400
17-053	20	160
17-055	20	300
17-056	20	400
17-063	25	400

## SDS+ HAMMER DRILLS



Careful design of the tip and choice of carbide ensures outstanding drilling performance. The optimised head profile gives good tip support, while allowing immediate dust ejection into the twin spiral. This has a helix angle giving fast removal, thus preventing dust and heat build up at the tip. Careful design features such as these contribute to long bit life and make it the first choice of specialist contractors.

Order Code	Diameter / Length mm	
17-200	4	110
17-201	5	110
17-202	5	160
17-203	5.5	110
17-204	5.5	160
17-205	6	110
17-206	6	160
17-207	6	200
17-208	6.5	110
17-209	6.5	160
17-210	7	110
17-211	7	160
17-212	7	210
17-213	8	110
17-214	8	160
17-215	8	210
17-216	8	260
17-217	8	450
17-218	9	160
17-219	10	110
17-220	10	160
17-221	10	210
17-222	10	260
17-223	10	310
17-224	10	450
17-225	10	600
17-226	10	1000
17-227	12	150
17-228	12	200
17-229	12	250
17-230	12	300
17-231	12	450
17-232	12	600
17-233	12	1000
17-234	13	150
17-235	13	250
17-236	13	300

Order Code	Diameter / Length (mm)	
17-237	14	150
17-238	14	200
17-239	14	250
17-240	14	300
17-241	14	450
17-242	14	600
17-243	14	1000
17-244	15	150
17-245	15	200
17-246	15	250
17-247	16	150
17-248	16	200
17-249	16	250
17-250	16	300
17-251	16	450
17-252	16	600
17-253	16	1000
17-254	18	200
17-255	18	300
17-256	18	450
17-257	18	1000
17-258	19	200
17-259	19	450
17-260	20	200
17-261	20	300
17-262	20	450
17-263	20	600
17-264	20	1000
17-265	22	250
17-266	22	450
17-272	22	600
17-267	24	250
17-268	24	450
17-269	25	250
17-270	25	450
17-273	25	1000
17-271	26	450





## ENDURO TRIJET SDS MAX DRILL BIT

Multi-cutter drill for smaller diameters. Vastly improved service life in concrete because the wear is spread over three cutting edges. Excellent performance in terms of reinforcement capability. Certified by the Masonry Drill Bit Testing Association (PGM) according to the requirements of the German Institute for Building Technology (DIBt).

Order Code	Description
17-300	12mm x 340mm Enduro Trijet SDS Max Drill Bit
17-301	12mm x 540mm Enduro Trijet SDS Max Drill Bit
17-301A	12mm x 740mm Enduro Trijet SDS Max Drill Bit
17-301B	13mm x 340mm Enduro Trijet SDS Max Drill Bit
17-301C	13mm x 540mm Enduro Trijet SDS Max Drill Bit
17-302	14mm x 340mm Enduro Trijet SDS Max Drill Bit



Order Code	Description
17-303	14mm x 540mm Enduro Trijet SDS Max Drill Bit
17-303A	14mm x 740mm Enduro Trijet SDS Max Drill Bit
17-303B	15mm x 340mm Enduro Trijet SDS Max Drill Bit
17-303C	15mm x 540mm Enduro Trijet SDS Max Drill Bit
17-304	16mm x 340mm Enduro Trijet SDS Max Drill Bit
17-305	16mm x 540mm Enduro Trijet SDS Max Drill Bit
17-305A	16mm x 740mm Enduro Trijet SDS Max Drill Bit
17-305B	16mm x 940mm Enduro Trijet SDS Max Drill Bit
17-305C	16mm x 1340mm Enduro Trijet SDS Max Drill Bit

## ENDURO SDS MAX Y CUTTER DRILL

Unrivalled performance for drilling in granite, concrete, breeze block, masonry, brickwork, ceramic tiles and marble. The Enduro SDS Max Y Cutter has significantly less friction than the conventional bits.

Order Code	Description
17-350	18.0mm x 340mm Enduro SDS Max Y Cutter
17-353	18.0mm x 540mm Enduro SDS Max Y Cutter
17-353A	18.0mm x 740mm Enduro SDS Max Y Cutter
17-354	18.0mm x 940mm Enduro SDS Max Y Cutter
17-354A	19.0mm x 320mm Enduro SDS Max Y Cutter
17-355	19.0mm x 520mm Enduro SDS Max Y Cutter
17-357	20.0mm x 320mm Enduro SDS Max Y Cutter
17-358	20.0mm x 520mm Enduro SDS Max Y Cutter
17-358A	20.0mm x 720mm Enduro SDS Max Y Cutter
17-359	20.0mm x 920mm Enduro SDS Max Y Cutter
17-360	22.0mm x 320mm Enduro SDS Max Y Cutter
17-361	22.0mm x 520mm Enduro SDS Max Y Cutter
17-361A	22.0mm x 720mm Enduro SDS Max Y Cutter
17-362	22.0mm x 920mm Enduro SDS Max Y Cutter
17-362A	22.0mm x 1320mm Enduro SDS Max Y Cutter
17-363	24.0mm x 320mm Enduro SDS Max Y Cutter
17-364	24.0mm x 520mm Enduro SDS Max Y Cutter
17-365	25.0mm x 320mm Enduro SDS Max Y Cutter
17-366	25.0mm x 520mm Enduro SDS Max Y Cutter
17-366A	25.0mm x 720mm Enduro SDS Max Y Cutter
17-367	25.0mm x 920mm Enduro SDS Max Y Cutter
17-368	25.0mm x 1320mm Enduro SDS Max Y Cutter
17-368A	26.0mm x 320mm Enduro SDS Max Y Cutter
17-370	26.0mm x 520mm Enduro SDS Max Y Cutter
17-371	28.0mm x 320mm Enduro SDS Max Y Cutter
17-372	28.0mm x 520mm Enduro SDS Max Y Cutter
17-373	28.0mm x 720mm Enduro SDS Max Y Cutter
17-373A	28.0mm x 920mm Enduro SDS Max Y Cutter
17-374	30.0mm x 320mm Enduro SDS Max Y Cutter
17-375	30.0mm x 520mm Enduro SDS Max Y Cutter
17-375A	30.0mm x 720mm Enduro SDS Max Y Cutter
17-376	32.0mm x 320mm Enduro SDS Max Y Cutter
17-377	32.0mm x 520mm Enduro SDS Max Y Cutter
17-377A	32.0mm x 720mm Enduro SDS Max Y Cutter
17-378	32.0mm x 920mm Enduro SDS Max Y Cutter
17-379	32.0mm x 1320mm Enduro SDS Max Y Cutter
17-380	35.0mm x 320mm Enduro SDS Max Y Cutter



Order Code	Description
17-381	35.0mm x 520mm Enduro SDS Max Y Cutter
17-382	35.0mm x 720mm Enduro SDS Max Y Cutter
17-383	38.0mm x 320mm Enduro SDS Max Y Cutter
17-384	38.0mm x 520mm Enduro SDS Max Y Cutter
17-384A	38.0mm x 720mm Enduro SDS Max Y Cutter
17-385	40.0mm x 320mm Enduro SDS Max Y Cutter
17-386	40.0mm x 520mm Enduro SDS Max Y Cutter
17-386B	40.0mm x 720mm Enduro SDS Max Y Cutter
17-387	40.0mm x 920mm Enduro SDS Max Y Cutter
17-388	40.0mm x 1320mm Enduro SDS Max Y Cutter
17-389	45.0mm x 520mm Enduro SDS Max Y Cutter
17-390	50.0mm x 520mm Enduro SDS Max Y Cutter

## CHISEL SELECTION

Order Code	Description
17-392A	Point Chisel SDS Max 600mm
17-393A	Flat Spade Chisel SDS Max 50mm x 300mm
17-393B	Flat Spade Chisel SDS Max 75mm x 300mm
17-394	Pointed Chisel SDS Max 360mm
17-394A	Pointed Chisel SDS Max 500mm
17-394B	Pointed Chisel SDS Max 600mm
17-395	Flat Chisel SDS Max 360mm
17-395A	Flat Chisel SDS Max 500mm
17-395C	Flat Chisel SDS Max 600mm
17-396A	Wide Spade Chisel 115mm x 350mm
17-396AS	SDS Max Asphalt Cutter 90mm x 400mm
17-396C	SDS Max Scutch Comb Holder
17-396D	Combs for Comb Holder 25mm (25 Pack)
17-396E	SDS Max Toothed Chisel 300mm
17-397A	S.D.S.+ Flat Chisel 20mm x 250mm
17-397AA	S.D.S.+ Flat Chisel 20mm x 400mm
17-397	SDS+ Chisel Bit 40mm x 250mm
17-397D	Point Chisel S.D.S.+ 250mm
17-397DD	Point Chisel S.D.S.+ 400mm
17-397E	Tile Chisel SDS+ 75mm
17-397B	BOSCH Toothed Chisel 32mm x 300mm



## TRI JET SDS+ DRILLS



The "Trijet" Drill Bit hits reinforced concrete and just keeps going. Solid 3-Blade carbide head for better power transmission and longer life. Wide flute body for fast dust removal without blow-out. Two point centre stops drill slip on surface. Low vibration triple flute spiral.

Order Code	Description
17-500	5.0mm x 110mm TRI JET SDS + Drill
17-501	5.0mm x 160mm TRI JET SDS + Drill
17-502	5.5mm x 110mm TRI JET SDS + Drill
17-503	5.5mm x 160mm TRI JET SDS + Drill
17-504	6.0mm x 110mm TRI JET SDS + Drill
17-505	6.0mm x 160mm TRI JET SDS + Drill
17-506	6.0mm x 210mm TRI JET SDS + Drill
17-507	6.0mm x 260mm TRI JET SDS + Drill
17-508	6.5mm x 110mm TRI JET SDS + Drill
17-509	6.5mm x 160mm TRI JET SDS + Drill
17-510	6.5mm x 210mm TRI JET SDS + Drill
17-511	7.0mm x 160mm TRI JET SDS + Drill
17-512	7.0mm x 210mm TRI JET SDS + Drill
17-513	8.0mm x 110mm TRI JET SDS + Drill
17-514	8.0mm x 160mm TRI JET SDS + Drill
17-515	8.0mm x 210mm TRI JET SDS + Drill
17-516	8.0mm x 260mm TRI JET SDS + Drill
17-517	8.0mm x 310mm TRI JET SDS + Drill
17-518	8.0mm x 450mm TRI JET SDS + Drill
17-519	10.0mm x 110mm TRI JET SDS + Drill
17-520	10.0mm x 160mm TRI JET SDS + Drill
17-521	10.0mm x 210mm TRI JET SDS + Drill
17-522	10.0mm x 260mm TRI JET SDS + Drill
17-523	10.0mm x 310mm TRI JET SDS + Drill
17-524	10.0mm x 450mm TRI JET SDS + Drill
17-525	10.0mm x 600mm TRI JET SDS + Drill
17-526	12.0mm x 160mm TRI JET SDS + Drill
17-527	12.0mm x 210mm TRI JET SDS + Drill
17-528	12.0mm x 260mm TRI JET SDS + Drill
17-529	12.0mm x 310mm TRI JET SDS + Drill
17-530	12.0mm x 450mm TRI JET SDS + Drill
17-531	12.0mm x 600mm TRI JET SDS + Drill
17-532	14.0mm x 160mm TRI JET SDS + Drill
17-533	14.0mm x 200mm TRI JET SDS + Drill
17-534	14.0mm x 250mm TRI JET SDS + Drill
17-535	14.0mm x 300mm TRI JET SDS + Drill
17-536	14.0mm x 450mm TRI JET SDS + Drill
17-537	14.0mm x 600mm TRI JET SDS + Drill
17-538	16.0mm x 200mm TRI JET SDS + Drill
17-539	16.0mm x 260mm TRI JET SDS + Drill
17-540	16.0mm x 300mm TRI JET SDS + Drill
17-541	16.0mm x 450mm TRI JET SDS + Drill
17-542	16.0mm x 600mm TRI JET SDS + Drill

## DIAMOND CORE DRILLS

Dry Core Drills are specially designed to provide a fast penetration rate requiring the minimum effort.

All Dry Diamond Core Drills are with slotted barrels but plain barrels for use with dust extraction systems are available. We recommend a standard drill with a minimum power of 900 watts is used on **ROTARY ACTION ONLY**.



Order Code	Outside Diameter (mm)	Length (mm)
16-100	22	300
16-101	28	300
16-102	32	150
16-103	38	150
16-104	48	150
16-105	52	150
16-106	65	150
16-108B	78	150
16-112	107	150
16-113	117	150
16-114	127	150
16-115	152	150

## DIAMOND CORE KITS

Diamond Core Drill Sets for the plumbing & construction professional.

Order Code	Description
16-022	5 Piece Diamond Core Kit
16-026B	7 Piece Professional Core Kit



## DIAMOND CORE ACCESSORIES

Order Code	Description
16-140	Hex Adaptor Pack
16-140A	SDS+ Adaptor Pack
16-141	100mm SDS+ Adaptor
16-141A	200mm SDS+ Adaptor
16-141B	450mm SDS+ Adaptor
16-141C	600mm SDS+ Adaptor
16-142A	200mm Core Drill Ext.Bar
16-143	100mm Hex Adaptor
16-143A	200mm Hex Adaptor
16-143B	450mm Hex Adaptor
16-143C	600mm Hex Adaptor
16-148	200mm "A" Taper Pilot Drill
16-150A	Drift Key





## DIAMOND DRILLS

Kit contains 5 Diamond Drill sizes: 5mm, 6mm, 7mm, 8mm and 10mm plus water cooling system and drill guide. Used in cutting glass, marble, porcelain, granite and slate.



Order Code	Description
17-123	Diamond Drill 5pc. Set
17-123A	5mm Heavy Duty Diamond Tile Bit
17-123B	6mm Heavy Duty Diamond Tile Bit
17-123C	7mm Heavy Duty Diamond Tile Bit
17-123D	8mm Heavy Duty Diamond Tile Bit
17-123E	10mm Heavy Duty Diamond Tile Bit
17-123F	12mm Heavy Duty Diamond Tile Bit
17-123G	15mm Heavy Duty Diamond Tile Bit
17-123H	20mm Heavy Duty Diamond Tile Bit

## WOOD AUGERS

Constructed from high quality carbon steel and precision ground for perfect concentricity. The self feeding tip ensures positive and accurate drilling. Ideal for all wood applications. Suitable for use with an electric drill or traditional brace.

Order Code	Diameter / Length mm	
19-004	10	235
19-006	12	235
19-008	14	235
19-011	16	235
19-013	18	235
19-016	20	235
19-018	22	235
19-020	24	235
19-022E	25	155
19-023	25	235
19-024	26	235
19-026	28	235
19-029	30	450
19-030A	32	155
19-031	32	235



## FLAT WOOD BITS

Ideal for drilling holes in softwood, European hardwoods, chipboards, fibreboards etc. Manufactured from hardened white steel. Ground point and cutting edges.



Order Code	Size
18-001	6 mm
18-002	8 mm
18-003	10 mm
18-004	12 mm
18-005	13 mm
18-006	14 mm
18-007	16 mm
18-008	19 mm
18-009	20 mm
18-010	22 mm
18-011	24 mm
18-012	25 mm
18-014	28 mm
18-015	30 mm
18-016	32 mm
18-018	35 mm
18-019	38 mm
18-020	40 mm
18-021	330mm Extension

## FLAT WOOD BIT SETS

Perfect for all applications in wood and derived timber products. Fast and exact cutting. Extremely accurate starting without tear-out at the edge of the hole. Heller QuickBIT® products: customised for use with cordless drills. 1/4" hex. shank prevents the drill bit from slipping in the drill chuck.

Order Code	Description
18-022	6 Piece Heller Flat Wood Bit Set
18-023	11 Piece Heller Flat Wood Bit Set



6 piece QuickBit Flat milling drill set enables an exact drilling as well as a quick and exact cut without edge outline. Can be extended with the help of adapter. Sizes 10, 13, 16, 19, 22 and 25 mm. Suitable for: Soft/hard wood, chipboard, clamping plates, bars.



11 piece QuickBit Flat milling drill set as above but sizes 10, 12, 14, 16, 18, 20, 22, 25, 30, 35 and 40mm. Comes complete in a Nylon case.

## HOLESAWS

Standard industry fitting makes this product completely interchangeable with other brands. Variable pitch design makes it suitable for cutting a large variety of hole diameters in many different materials.



Order Code	Diameter
20-001	16mm
20-002	17mm
20-003	19mm
20-004	20mm
20-005	21mm
20-006	22mm
20-007	24mm
20-008	25mm
20-009	27mm
20-010	29mm
20-011	30mm
20-012	32mm
20-013	33mm
20-014	35mm
20-015	38mm
20-016	40mm
20-017	41mm
20-018	44mm
20-019	46mm
20-020	48mm
20-021	51mm
20-022	54mm
20-023	57mm
20-024	60mm
20-025	64mm
20-026	67mm
20-027	70mm
20-028	73mm
20-029	79mm
20-030	83mm
20-032	89mm
20-033	95mm
20-034	102mm
20-035	105mm
20-036	111mm
20-037	114mm
20-038	121mm
20-039	127mm
20-040	140mm
20-041	152mm

## ARBORS & ACCESSORIES

Order Code	Description
20-042	A1 Arbor 14-30mm
20-043	A2 Arbor 32-152mm
20-044	A4 Arbor 14-30mm Round Shank A10 Arbor 32-152mm 9 mm Shank
20-045	72mm Pilot Drill



**OTHER SIZES AVAILABLE ON APPLICATION**

## Drilling / Cutting

[www.harlfix.co.uk](http://www.harlfix.co.uk)

Tel: 01563 545 266  
txtUs: 07860 021944  
Fax: 01563 545 267  
Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)

**HARLEQUIN**  
FIXINGS & SEALANTS LTD.



## H.S.S. DRILLS

Manufactured from the finest high speed steel, the cutting performance meets both BS328 and DIN 338.

Whilst primarily designed for drilling into metal, they also give good results in many other materials such as wood, chipboard, MDF and plaster. Manufactured by Heller where "excellence comes as standard".  
Other sizes including stub length available.



### Jobber (Metric)

Order Code	Diameter mm	Order Code	Diameter mm
21-050	2.0	21-084	5.3
21-055	2.5	21-086	5.5
21-061	3.0	21-089	5.8
21-064	3.3	21-091	6.0
21-066	3.5	21-096	6.5
21-071	4.0	21-101	7.0
21-073	4.2	21-111	8.0
21-076	4.5	21-121	9.0
21-080	4.9	21-131	10.0
21-081	5.0	21-133	11.0
21-082	5.1	21-135	12.0

### Jobber (Imperial)

Order Code	Diam. inches	Order Code	Diam. inches
21-002	1/16	21-014	1/4
21-004	3/32	21-016	9/32
21-006	1/8	21-018	5/16
21-008	5/32	21-022	3/8
21-010	3/16	21-030	1/2
21-012	7/32		

### Long Series (Metric)

Order Code	Diam. mm	Order Code	Diam. mm
21-143	3.0	21-146	4.5
21-144	3.5	21-147	5.0
21-145	4.0		

## H.S.S. DRILL SET

Ideal for drilling holes in unalloyed steels. Cone shaped section with 118° point angle for long service periods. Reliable HSS drill with consistent spiral density. Precision tool according to DIN 338 RN. Suitable for sheets, nonferrous metals, stainless steel, stainless steel, iron, cast iron and cast steel.

Order Code	Description
21-250	HSS Drill Set

The majority of our hole-boring range may be available in other more specialised sizes.  
On most sizes we can offer quantity discounts.



## JIGSAW BLADES



Bosch jigsaw blades, probably the most popular range manufactured

Order Code	Bosch Ref.	Description
<b>Shank suitable for Bosch, Aeg, Dewalt, Hitachi, Elu, Metabo</b>		
20-201	T101A0	Blade for curve cutting & right angle cuts. Hardwood & Softwood up to 25mm plus Plywood, Laminated chipboard & Plastic up to 25mm
20-202	T101B	Clean cutting. Hardwood & Softwood up to 30mm plus Plywood, Blockboard & Plastic up to 30mm
20-203	T101BR	Splinter free cuts (down cutting teeth). Hardwood & Softwood up to 30mm plus Plywood, Laminated chipboard & Plastic up to 30mm
20-204	T101D	Quick cutting. Hardwood & Softwood up to 60mm plus Blockboard, Chipboard & Plastic up to 60mm
20-205	T111C	Coarse cutting. Hardwood & Softwood up to 60mm plus Plastic up to 60mm
20-206	T118A	Mild steel, non ferrous metal, Aluminium and Aluminium alloy 1.5-4mm, Acrylic glass 1.5-3mm
20-207	T118B	Mild steel 3-6mm, Non ferrous metal, Aluminium and Aluminium alloy 3-10mm
20-208	T119B0	Blade for curve cutting & right angle cuts. Hardwood & Softwood up to 20mm plus Plywood, Chipboard, Plastic & Perspex up to 20mm
20-209	T144D	Quick cutting. Hardwood & Softwood up to 60mm plus Chipboard up to 60mm
20-210	T318A	Mild steel, Non ferrous metal, Aluminium & Aluminium alloy 1.5-4mm + Acrylic glass 1.5-3mm
20-211	T318B	Mild steel 3-6mm, Non ferrous metal, Aluminium & Aluminium alloy 3-10mm
20-212	T344D	Specially long blade for PMS 400. Fast cutting in hard & soft wood & plywood up to 100mm
<b>Shank suitable for Makita</b>		
20-213	MA111C	Coarse cutting. Hardwood & Softwood up to 4-50 mm plus Plastic up to 60mm
20-214	MA118A	Mild steel, Non ferrous metal, Aluminium and Aluminium alloy 1-3 mm

## SABRE SAW BLADES



Suitable for all Sabre, Reciprocating and all purpose saws

Order Code	Bosch Ref.	Lgth mm	Description
20-301	S644D	150	For fine, fast sawing & curve cutting in wood and plastic
20-302	S1111K	228	For coarse, fast cuts in wood
20-303	S1531L	240	For coarse, fast cuts in wood (logs & pruning)
20-304	S922BF	150	For thick sheet metal 3 - 8 mm, pipes & profiles 10 - 100 mm
20-305	S1122BF	228	Special flexible saw blade for metal, non-ferrous metal, metal pipes and profiles 3 - 8 mm
20-306	S1222VF	300	For non-ferrous metals < 3mm, pipes & aluminium profiles 3 - 10 mm etc





## SAW BLADES *trend*

Range of Tungsten Carbide Tipped Circular Sawblades designed for a professional finish in soft wood, hard wood, exotic rip, plasterboard, stone fibre board and particle board.

Reamed bore to ensure precise fit to spindle. Silverbrazed to ensure tip is bonded securely to body. Body hardened and tempered to maintain toughness. Laser etched on reverse to European standard EN847-1/2.

The Trend name for traceability and a guarantee of quality. High grade alloy steel plate body precision ground to maintain flatness. Microgranular Tungsten Carbide Tipped to allow cutting of abrasive materials.



Order Code	Diameter / Teeth / Bore	Description
20-871	136 X 12T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-872	136 X 24T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-875	150 X 12T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-876	150 X 24T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-879	165 X 12T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-881	165 X 24T X 10	<b>CRAFTPRO</b> TRIM SAW BLADE
20-822	184 X 24T X 16	<b>CRAFTPRO</b> CIRC SAW BLADE
20-823	184 X 24T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-826	184 X 40T X 16	<b>CRAFTPRO</b> CIRC SAW BLADE
20-827	184 X 40T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-839	215 X 24T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-840	215 X 48T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-841	215 X 60T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-846	235 X 24T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-847	235 X 40T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-851	250 X 30T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-852	250 X 48T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-853	250 X 60T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-857	300 X 48T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE
20-858	300 X 72T X 30	<b>CRAFTPRO</b> CIRC SAW BLADE

## ROUTER CUTTERS & ACCESSORIES



Order	Description
20-400	TREND 12 Piece Router Set
20-411	TREND 3/83 Cutter 1/2"
20-411BB	TREND Trade Kitchen Fitters Pack 1/2" (Pkt. of 5)
20-421	TREND RT/11 Cutter 1/2"
20-422	TREND RB/A/10 Replacement Blades
20-423A	TREND COMBI 66 Jig
20-425	TREND COMBI 1002 Jig

## HARD POINT SAWS

A universal tooth with high frequency hardened teeth giving up to five times the life of conventional teeth. Fast efficient cross cut and rip performance including chipboard, hardboard and hardwood. Screwed plastic handle.

Order Code	Description
60-006	BAHCO 244 20" Saw
60-007	BAHCO 244 22" Saw
60-010	BAHCO Barracuda 20" Saw
60-010B	BAHCO Barracuda 22" Saw



## BAHCO ERGO SAW HANDLES

Asymmetrical handle design eliminates pressure points and stops the hand sliding on the handle. Thermoplastic Elastomer (TPE) for optimum friction and a warm feel. The angle and position of the handle in relation to the blade teeth reduces sawing forces and increases efficiency. Available for left or right-handed users. Two different handle sizes \* provide maximum grip, comfort and safety. \*LH handle is available in one size only. RH large grip.

Order Code	Description
60-009	BAHCO ERGO Saw Handle RH
60-009C	BAHCO ERGO Saw Handle LH



## BAHCO ERGO SAW BLADE

The Barracuda blade only is a high quality general purpose blade suitable for cutting softwood, worktops, chipboard and MDF. The hardpoint sharp toothing and thicker blade offer faster cutting with improved stability and precision during use. Teeth 7 tpi.



Order Code	Description
60-009A	BAHCO ERGO 22" Saw Blade

## IRWIN TOOLBOX SAW

A hardpoint toolbox saw with a soft-grip handle for comfort and control. The tooth geometry and set are designed to improve cutting ability by up to 40%. It cuts a variety of materials and will fit into most toolboxes. Length 330mm (13"). Teeth: 12tpi.



Order Code	Description
60-008L	JACK 13" Toolbox Saw

## PAD SAW

12" Heavy duty frame with storoBlade. Length 180mm / 7". Hardened and tempered blade for durability and long life. Moulded handle combining high impact plastic and soft touch inserts for improved comfort and control. Large smooth end pad to facilitate pushing and twisting blade through plasterboard. Aggressive triple bevel teeth for a faster cleaner cut.

Order Code	Description
60-070	STANLEY Fat Max Pad Saw



## Hand Tools

[www.harlfix.co.uk](http://www.harlfix.co.uk)

Tel: 01563 545 266  
txtUs: 07860 021944  
Fax: 01563 545 267  
Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)

**HARLEQUIN**  
FIXINGS & SEALANTS LTD.



## COPING SAW

The Faithfull FAICS Coping Saw featuring a high quality powder coated steel frame and fitted with a rounded wooden handle for user comfort. Blade can be positioned at any angle within the frame. Ideal for cutting curves and intricate shapes in wood, fibreboard, plywood, plastics and laminates.

Order Code	Description
60-092	FAITHFULL Coping Saw

Depth of bow: 125mm (5").  
Length of blade: 165mm (61/2"). Teeth: 14 tpi.



## COPING SAW BLADES


Made of hardened and tempered carbon steel. Teeth milled and set 14 tpi. Length: 150mm (6"). Pack of 5.

Order Code	Description
60-092B	BACHO Coping Saw Blades



The Faithfull FAICSB coping saw blade is made from quality steel. Length of blade: 165mm (61/2"). For cutting metal: 14 tpi. Pack of 10.

Order Code	Description
60-092C	FAITHFULL Coping Saw Blades



## HACKSAW FRAME

12" Heavy duty frame with storage facility inside frame.

Order Code	Description
60-022	Hacksaw Frame



## JUNIOR HACKSAW

6" Mini frame.

Order Code	Description
60-023	6" Hacksaw



## SPARE BLADES

12" Bi-metal Hacksaw Blades. Virtually unbreakable in normal use. Providing an efficient way to cut metal. All blades packed 10 in a sleeve.

Order Code	Description
60-024	SANDFLEX 12" x 18TPI
60-025	SANDFLEX 12" x 24TPI
60-026	SANDFLEX 12" x 32TPI
60-027	FAITHFULL 6" 150mm\ Junior Hacksaw Blades
60-027A	ECLIPSE 6" 150mm Junior Hacksaw Blades



## MARPLES CHISEL SET

Blade, bolster and tang forged from one-piece of steel with edges bevelled to enable easier working in tight corners. Fitted with 2 tone splitproof plastic handle which will withstand heavy usage. The set of 6 contains 1 each of: 1/4, 3/8, 1/2, 3/4, 1, and 1 1/4". (6, 10, 12, 18, 25, and 32mm).



Order Code	Description
60-165	MARPLES 6 Piece Split Proof Chisel Set

## SPIRIT LEVELS



Made from 23 x 1.8mm thick, extruded aluminium with ribbed sides. Vertical and horizontal vials, milled top and bottom faces. Accuracy to 1mm/m.

Order Code	Description
60-050	Spirit Level 450mm
60-051	Spirit Level 600mm
60-053	Spirit Level 1000mm
60-054	Spirit Level 1200mm
60-055	Spirit Level 1800mm

## STABLO SPIRIT LEVEL

Stabila 96-2 Extra strong double plumb ribbed box section levels are made from an extra strong light metal rectangular profile with gripping ridges and removable end-caps made from two materials. Removable end-caps are also equipped with well-proven patented anti-slip stops. 2 vertical vials and 1 horizontal vial. 2 milled measuring surfaces on levels up to 120cm, levels over 120cm do not have milled surfaces. Measurement accuracy: in normal position  $0.029^\circ = 0.5 \text{ mm/m}$ , overhead measurement  $0.043^\circ = 0.75 \text{ mm/m}$ .



Order Code	Description
60-055B	STABILA 2440m Spirit Level

## BUILDERS LEVEL SET

Builders Level Set 3 piece 400, 600 & 1000mm Made from 50 x 20mm thick box section aluminium with 3 horizontal and vertical vials and black plastic end caps. Hanging holes for storage.



Order Code	Description
60-055S	3 Piece Builders Level Set

## SCAFFOLDERS LEVEL

Heavy duty cast aluminium level with magnetic base and 2 vials. Milled base suitable for checking the level of vertical and horizontal scaffold poles, framework or other metal objects.



Order Code	Description
60-053J	Scaffolders Level

## STANLEY 12" COMBINATION SQUARE

This combination square has a 300mm/12in rule with class 2 accuracy and is coated to resist rust. With metric and imperial graduations. It has a diecast metal body, heavy-duty screw and regulated vial to ensure accuracy. With high quality brass nut and scriber fittings for long life. Size: 300mm/12".



Order Code	Description
60-053J	STANLEY 12" Combination Square

## STANLEY POWER WINDER CHALK LINE

Power Winder 30m Kit. Stainless steel hook for added durability and rust prevention. Ergonomic design, holds 30m of string. 45gr chalk capacity. Weight and style combination provides plumb bob facility. High impact case for durability. 3.5 to 1 gear ratio for faster rewind. Metal crank folds into the case for storage. Supplied with 113gm blue chalk and line level.



Order Code	Description
60-060C	Power Winder Chalk Line 30m, Chalk & Level

## CHALK

Micro fine quality chalks available in red, white and blue. Airtight container with pouring spout. 225cc

Order Code	Description
60-061	Red
60-062	White
60-063	Blue



## CARPENTER'S PENCILS

10 medium carpenter pencils and a VersaSharp™ sharpener in a tube pack. The carpenter pencils are perfect for drawing saw lines, drill points etc., onto wood. They are larger in size compared to normal pencils and have two flattened surfaces and two round edges. The sharpener is ergonomically designed, ensuring comfortable use, and sharpens both carpenters pencils and lumber crayons.



Order Code	Description
60-037	Pack 10 Carpenter's Pencils c/w sharpener

## STAPLE GUN

Designed for professional users; the Z3 tacker has an extruded die-cast zinc body - deploying Tacwise's Z-tec technology and use the heavy flat wire 140 staple. Ideal for: Insulation, lining, panelling, upholstery and re-upholstery.



Order Code	Description
60-020	TACWISE Z3 140 Staple Gun

## STANLEY HAMMER TACKER

Heavy-duty Sharp Shooter Hammer Tacker. Ideal for furniture fabrication and building insulation. Non-slip grip.

Will take three staple sizes: 6mm, 8mm and 10mm.



Order Code	Description
60-021B	STANLEY A11 Hammer Tacker

## STANLEY FAT MAX HAMMER TACKER

This hammer tacker is used for quick stapling of large surfaces such as carpets, underlay, roof insulation and furnishings. Takes type G heavy-duty staples 8mm, 10mm and 12mm. It is made to contractors quality and has a full rubber grip to absorb shocks. It holds 2 sticks of staples to reduce re-load times.



Order Code	Description
60-021A	STANLEY Fat Max Hammer Tacker

## STAPLES

Order Code	Description (Boxes/5000)
69-251A	8mm Galv
69-251	10mm Galv
69-250	12mm Galv
69-250A	14mm Galv
60-069	10mm Stainless Steel

For use with 0328 Hobby 53EL Electric tacker/nailer, 516857 Pro 140EL.



## STANLEY 6 PCE. SCREWDRIVER SET

Cushion Grip screwdrivers with a chrome plated bar which is corrosion resistant and magnetic tips for easy pick up and screw locator. The soft-grip handle provides excellent torque and comfort. It has a smooth domed end for fast spinning action, speed and comfort and the large diameter handle offers greater torque which is needed for driving wood screws with a Screw tip identification shown on the handle. Flared: 5.0mm x 100mm, 6.5mm x 45mm (stubby), 6.5mm x 150mm. Phillips: PH.1 x 100mm, PH.2 x 45mm (stubby), PH.2 x 100mm.



Order Code	Description
60-193	STANLEY 6 Piece Cushion Grip Screwdriver Set

## STANLEY BLOCK PLANE

**Professional general purpose adjustable Block plane** has a grey iron body and is adjustable for depth of cut and alignment. Length: 180mm (7"). Cutter width: 40mm (1.5/8").



Order Code	Description
60-089A	STANLEY 180mm Block Plane

## STANLEY SURFORM PLANE

This **Surform** will plane all types of wood, aluminium, copper, plastic and laminates. A polypropylene handle and die-cast body for strength and durability. Fitted with a standard cut 250mm (10") blade. Overall length 315mm (12").



Order Code	Description
60-162G	STANLEY Surform 250mm Plane

## STANLEY SURFORM BLOCK PLANE

This **Moulded body block plane** suitable for use on all types of wood, aluminium, copper, plastics and laminates. Reversible blade for Bull nose work and lightweight plastic moulded body with a thumb screw for quick release. Fitted with a 140mm (5 1/2") fine cut blade. Overall length 155mm (6").



Order Code	Description
60-162H	STANLEY Surform 140mm Block Plane

## UTILITY BAR

Made from stamped alloy steel, hardened and tempered, with an integral nail puller and polished tips. Size 450mm (18")



Order Code	Description
60-192C	ROUGHNECK 450mm Utility Bar

## Hand Tools

[www.harlfix.co.uk](http://www.harlfix.co.uk)

Tel: 01563 545 266  
txtUs: 07860 021944  
Fax: 01563 545 267  
Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)

**HARLEQUIN**  
FIXINGS & SEALANTS LTD.



### 20oz CLAW HAMMER

The handle grip, made from liquid vinyl bonded on to the shaft during production, offers the utmost in both comfort and durability, while reducing vibrations caused by impact. It offers excellent balance, finest finish and is made of high quality steel. Weight 570g (1 1/4lb).



Order Code	Description
60-159	ESTWING 20oz Claw Hammer (Vinyl)

### 20oz CLAW HAMMER


Curved claw hammer with an octagonal neck, brightly polished head and fibreglass handle for maximum shock absorption. It has a comfortable black hand grip and bright orange coloured shaft to make it easier to locate. Weight 570g (1 1/4 lb).



Order Code	Description
60-159G	BACHO 20oz Claw Hammer with Fibreglass Shaft

### SOLO CLAMP

A single handed clamp with quick release lever. Nylon pads for protection of workpiece.



Order Code	Description
35-273A	Solo Clamp

### DECKING CLAMP

No more hassle trying to clamp decking boards using web clamps. With the quick action decking clamps you can pull the decking boards into the correct position for fixing with the correct gaps between the boards.

Capacity: 450mm, 2-part high grip handle for maximum torque, quick adjustment, extra high clamping force, claws with plastic protection.



Order Code	Description
60-088C	Quick Action Decking Clamp

### TRIMMING KNIFE

Contoured fixed blade knife with sheath. Quick release mechanism allows easy blade change. Two screwdriver bits stored inside handle for use as an emergency screwdriver.



Order Code	Description
60-028C	Trimming Knife

### STANLEY TRIMMING KNIFE

The **Titan retractable knife** is ideal for precision cutting of the most flexible, to the most resistant materials such as paper, cardboard, plastic or leather. The lightweight aluminium body has a strong brass wheel for efficient locking of the blade. Supplied with 3 blades and a scabbard.

**Stanley 10-550 Titan Fixed blade** super heavy-duty knife with double notched blade location for added security. Supplied with 3 blades and a scabbard. Used primarily by carpet fitters and tradesmen.




Order Code	Description
60-028A	STANLEY Titan HD Retractable Blade Trimming Knife
60-028B	STANLEY Titan HD Fixed Blade Trimming Knife



### TRIMMING KNIFE BLADES

Order Code	Description
60-011	Heavy Duty Trimming Knife Blades
60-012	STANLEY Heavy Duty Blades
60-012B	STANLEY Heavy Duty Hooked Blades



PACK QUANTITY 100

### SELF GRIP PLIER SET

3 Piece Protective Handle Pliers. Induction-hardened chrome vanadium steel. Includes 160mm long nose, 180mm combination and 160mm side cutting pliers. Protective handles and slip guards.



Order Code	Description
60-125	3 Piece Plier Set

### 12 Piece COMBINATION SPANNER SET

Polished chrome vanadium with recessed panel. Packed in a double blister, includes metal storage rack. Metric sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.



Order Code	Description
60-126	12 Piece Combination Spanner Set

### WRENCH

Drop-forged chrome plated. Polished jaw face. Smooth jaw adjustment.


Order Code	Description
60-128A	150mm Adjustable Wrench
60-128B	200mm Adjustable Wrench
60-128C	250mm Adjustable Wrench
60-128D	300mm Adjustable Wrench



### SOCKET SETS

Socket Set 1/2" Drive Metric 7pc Chrome vanadium square drive metric hex sockets. Contents: 10, 11, 12, 13, 14, 17 and 19mm.

Order Code	Description
60-127	7 Piece 1/2" Drive Metric Socket Set
60-127A	7 Piece 1/2" Drive Deep Metric Socket Set



### RATCHET HANDLE

Chrome vanadium steel with soft-grip handle. Push-off socket-release button, compact head and knurled reverse rotation disc. Satin finish.

Order Code	Description
60-127AA	250mm (1/2") Heavy Duty Ratchet Handle





## TAPE MEASURES

Precision and comfort combine. 20% thicker than a conventional tape. Extends further before there is a 'break'. Nylon coated giving greater wear resistance. Matt finish giving anti-glare surface. High quality ABS impact resistant plastic case with a rubber outer case giving a non-slip grip. Featuring a two piece ABS plastic case constructed with co-moulded rubber for a comfortable non-slip grip. The corrosion-resistant end hook moves to allow precise internal and external measurements. Co-moulded rubber outer offers users a surprisingly comfortable non-slip grip designed to stand the test of time. The magnetic corrosion resistant end hook moves to allow precise internal and external measurements. EEC Class 11 Tape. Blade width: 25mm / 1". Measurement units: Metric & Imperial.



Order Code	Description
60-029	5m x 16ft Heavy Duty Tape

7.5m as above, but blade width: 32mm. Measurement units: Metric & Imperial.



Order Code	Description
60-029D	7.5m x 32mm Steel / Alloy

**2in1 Gap Tape** is double-sided and measures internal spaces with the effortless precision as normal measurements. It takes into account the dimensions of its case and also creates the perfect right angle. Tough, durable and comfortable. ABS plastic casing with easy grip rubber jacket. Non-slip grip and impact resistant. Nylon coated. EEC Class 11 Tape. Blade width: 25mm/1".

Measurement units: Metric & Imperial.



Order Code	Description
60-029A	2 in 1 5m / 16ft Gap Tape

## SURVEYORS TAPE

Order Code	Description
60-029CC	50m x 12mm Surveyors Tape

50 Metre Heavy Duty Fibreglass Tape with Metric / Imperial graduations. PVC coated fibreglass. Easy to read graduation marks with highlighted measurement marks at Every 10cm & foot. Water and crease resistant. Metal end hook and claw. Efficient rewind handle. Conforms to EEC Class III accuracy. Strong plastic case with folding winding handle.



## FOLDING RULE

A general purpose four-fold rule made from hardwearing yellow ABS nylon. Specifications: Brass hinge pins and end pieces for extended life. Clearly graduated in inches and 1/8in on front side, cm and mm on the reverse. Length: 1m (39").

Order Code	Description
60-114	FISCO 1m Folding Rule



## SELF LOCKING PLIER SET

3 Piece Self-Locking Pliers Set. Heavy-gauge nickel-plated steel with forged, hardened and tempered jaws. Quick-release handle and adjustable opening. Sizes: 130, 170 and 210mm.



Order Code	Description
60-127C	3 Piece Self Locking Plier Set

## 10 PIECE HEX KEY SET - METRIC

10 Piece Hex Key Metric Expert Set. Hardened chrome vanadium hex key set. Metric sizes: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 and 10mm. Storage clip.



Order Code	Description
60-097T	10 Piece Metric Hex Set

## 10 PIECE HEX KEY SET - IMPERIAL

10 Piece Hex Key Imperial Expert Set. Hardened chrome vanadium steel. Sizes 1/16", 1/20", 5/64", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Includes storage clip.



Order Code	Description
60-097H	10 Piece Imperial Hex Set

## VAN VAULT

**Tools don't get stolen from Van Vault.** If attacked it'll defeat theft time and time again.

Tougher than ever before and independently proven to be the best. Redesigned with even more anti-theft features such as improved locking and low visibility paint finish, you're guaranteed to be less of a target. And with three sizes available there's a Van Vault to suit you, each with a range of personalised options.



Order Code	Description
69-181B	Lock 'n' Load 760 x 420 x 355 mm
69-181A	Original 2 920 x 550 x 490 mm
69-181C	Outback 1335 x 550 x 490 mm

## FIRST AID KITS

**10 Person Kit contains:** 1 x Guidance note, 4 x Non woven triangular bandages, 2 x Large sterile dressing (180 x 180mm), 6 x Medium sterile dressing (120 x 120mm), 2 x Sterile eye pad dressing, 20 x Assorted sterile transparent plasters, 6 x Alcohol free cleansing wipes, 1 x Pair disposable gloves and 6 x Safety pins.

**20 Person Kit contains:** 1 x Guidance note, 6 x Non woven triangular bandages, 3 x Large sterile dressing (180 x 180mm), 9 x Medium sterile dressing (120 x 120mm), 4 x Sterile eye pad dressing, 40 x Assorted sterile transparent plasters, 10 x Alcohol free cleansing wipes, 2 x Pair disposable gloves and 12 x Safety pins.



Order Code	Description
60-232	10 Person First Aid Kit
60-233	20 Person First Aid Kit



## MULTI-PURPOSE WOODSCREWS

### Yellow Passivated, Countersunk Head

Multi purpose screws with thread groove technology which reduces driving torque, prevents splitting of the wood during installation and gives quicker spoil removal. No pre-drilling required, sharp point gives precise, easy and smooth start.



Order Code	Diameter/Length (mm)
28-001	3.0 x 12
28-002	3.0 x 16
28-003	3.0 x 20
28-004	3.0 x 25
28-005	3.0 x 30
28-006	3.5 x 12
28-007	3.5 x 16
28-008	3.5 x 20
28-009	3.5 x 25
28-010	3.5 x 30
28-011	3.5 x 35
28-012	3.5 x 40
28-013	3.5 x 45
28-014	3.5 x 50

Order Code	Diameter/Length (mm)
28-015	4.0 x 16
28-016	4.0 x 20
28-017	4.0 x 25
28-018	4.0 x 30
28-019	4.0 x 35
28-020	4.0 x 40
28-021	4.0 x 45
28-022	4.0 x 50
28-023	4.0 x 60
28-024	4.0 x 70
28-025	4.5 x 25
28-026	4.5 x 30
28-027	4.5 x 35
28-028	4.5 x 40
28-029	4.5 x 45
28-030	4.5 x 50
28-031	4.5 x 60
28-032	4.5 x 70
28-033	5.0 x 20
28-034	5.0 x 25
28-035	5.0 x 30
28-036	5.0 x 35

Order Code	Diameter/Length (mm)
28-037	5.0 x 40
28-038	5.0 x 45
28-039	5.0 x 50
28-041	5.0 x 60
28-042	5.0 x 70
28-043	5.0 x 80
28-044	5.0 x 90
28-045	5.0 x 100
28-046	6.0 x 40
28-047	6.0 x 45
28-048	6.0 x 50
28-049	6.0 x 60
28-050	6.0 x 70
28-051	6.0 x 80
28-052	6.0 x 90
28-053	6.0 x 100
28-054	6.0 x 110
28-055	6.0 x 120
28-056	6.0 x 130
28-057	6.0 x 140
28-058	6.0 x 150
28-059	6.0 x 160

**BOX QUANTITY 200**

## RAPIER STARTURN WOODSCREWS

**Rapier**  
*Starturn*



Sharp point for a quick start, rapidly penetrating Softwood, Hardwood, Chipboard, MDF, Plastics and Thin Sheet Metal. Lower drive-in torque, quicker assembly times and exceptional holding power. The double countersunk head improves grip and extend bit life.

Order Code	Size
28-001R	3.0 x 12
28-002R	3.0 x 16
28-003R	3.0 x 20
28-004R	3.0 x 25
28-006R	3.5 x 12
28-007R	3.5 x 16
28-008R	3.5 x 20
28-009R	3.5 x 25
28-010R	3.5 x 30
28-011R	3.5 x 35
28-012R	3.5 x 40
28-014R	3.5 x 50

Order Code	Size
28-015R	4.0 x 16
28-016R	4.0 x 20
28-017R	4.0 x 25
28-018R	4.0 x 30
28-019R	4.0 x 35
28-020R	4.0 x 40
28-021R	4.0 x 45
28-022R	4.0 x 50
28-023R	4.0 x 60
28-024R	4.0 x 70
28-025R	4.5 x 25
28-026R	4.5 x 30
28-027R	4.5 x 35
28-028R	4.5 x 40
28-030R	4.5 x 50
28-031R	4.5 x 60
28-032R	4.5 x 70
28-033R	4.5 x 80
28-034R	5.0 x 25
28-035R	5.0 x 30

Order Code	Size
28-037R	5.0 x 40
28-038R	5.0 x 45
28-039R	5.0 x 50
28-041R	5.0 x 60
28-042R	5.0 x 70
28-043R	5.0 x 80
28-045R	5.0 x 100
28-046R	6.0 x 40
28-048R	6.0 x 50
28-049R	6.0 x 60
28-050R	6.0 x 70
28-051R	6.0 x 80
28-052R	6.0 x 90
28-053R	6.0 x 100
28-055R	6.0 x 125

**BOX QUANTITY 200**

**QUANTITY DISCOUNTS AVAILABLE**  
**CALL OUR SALES HOTLINE ON**  
**01563 545 266**

## TWINTHREAD WOODSCREWS CSK POZI

Pozi Drive, bright zinc plated to a standard 1.5 microns more than commercially required. Single start twinthread for ease of insertion. Through hardened for consistent quality. Reduced shank to prevent splitting of timbers.



Order Code	Size
29-001	4 x 1/2"
29-002	4 x 5/8"
29-003	4 x 3/4"
29-004	4 x 1"
29-005	6 x 1/2"
29-006	6 x 5/8"
29-007A	6 x 3/4"
29-008	6 x 1"
29-009	6 x 1 1/4"
29-010	6 x 1 1/2"
29-011	6 x 1 3/4"
29-012	6 x 2"
29-013	7 x 5/8"
29-014	7 x 3/4"
29-015	7 x 1"
29-016	7 x 1 1/4"
29-017	7 x 1 1/2"
29-018	8 x 1/2"
29-019	8 x 5/8"
29-020	8 x 3/4"
29-021	8 x 7/8"

Order Code	Size
29-022	8 x 1"
29-023	8 x 1 1/4"
29-024	8 x 1 1/2"
29-025	8 x 1 3/4"
29-026	8 x 2"
29-027	8 x 2 1/4"
29-028	8 x 2 1/2"
29-030	8 x 3"
29-031	10 x 3/4"
29-032	10 x 1"
29-033	10 x 1 1/4"
29-034	10 x 1 1/2"
29-035	10 x 1 3/4"
29-036	10 x 2"
29-037	10 x 2 1/4"
29-038	10 x 2 1/2"
29-040	10 x 3"
29-041	10 x 3 1/2"
29-042	10 x 4"
29-043	12 x 1"
29-044	12 x 1 1/4"
29-045	12 x 1 1/2"
29-046	12 x 2"
29-048	12 x 2 1/2"
29-049	12 x 3"
29-050	12 x 3 1/2"
29-051	12 x 4"

**BOX QUANTITY 200**

## SINGLE THREAD WOODSCREWS ROUND HEAD COMBI

Hardened steel with a bright zinc plated finish. Single thread provides excellent grip in a variety of materials.



Order Code	Diameter/Length (mm)
28-101	3 x 13
28-102	3 x 15
28-103	3 x 20
28-104	3 x 25
28-105	3.5 x 13
28-106	3.5 x 15
28-107	3.5 x 20
28-108	3.5 x 25
28-109	3.5 x 30
28-110	3.5 x 40
28-113	4 x 13
28-114	4 x 15
28-115	4 x 20

Order Code	Diameter/Length (mm)
28-116	4 x 25
28-117	4 x 30
28-118	4 x 40
28-119	4 x 50
28-120	5 x 20
28-121	5 x 25
28-122	5 x 30
28-123	5 x 40
28-124	5 x 50
28-126	5 x 60
28-127	5 x 70
28-128	5 x 80

**BOX QUANTITY 200**

## TWINTHREAD WOODSCREWS RHD POZI

Bright zinc plated. Through hardened for consistent quality. Reduced shank to prevent splitting of timbers.



Order Code	Size
29-101	4 x 1/2"
29-102	4 x 5/8"
29-103	4 x 3/4"
29-104	6 x 1/2"
29-106	6 x 1"
29-107	6 x 1 1/4"
29-109	8 x 5/8"
29-110	8 x 3/4"
29-112	8 x 1 1/4"
29-113	8 x 1 1/2"
29-115	10 x 1"
29-118	10 x 2"
29-119	10 x 2 1/2"
29-120	10 x 3"
29-121	12 x 1"
29-122	12 x 1 1/2"
29-123	12 x 2"

**BOX QUANTITY 200**

## COUNTERSUNK BRASS SLOTTED WOODSCREWS

Manufactured in the UK to BS1210.



Order Code	Diameter/Length (mm)
26-001	4 x 1/2"
26-003	4 x 3/4"
26-006	6 x 5/8"
26-007	6 x 3/4"
26-008	6 x 1"
26-019	8 x 1"
26-020	8 x 1 1/4"
26-021	8 x 1 1/2"
26-023	8 x 2"
26-029	10 x 1 1/2"
26-032	10 x 2 1/2"
26-039	12 x 2 1/2"
26-040	12 x 3"

**BOX QUANTITY 200**



## DRYWALL SCREWS

Bugle Head through hardened for consistent quality. Phillips recess with single start thread for ease of insertion.



Order Code	Length	Diam.
25-001	25mm BZP	3.5mm
25-002	32mm BZP	3.5mm
25-003	38mm BZP	3.5mm
25-004	42mm BZP	3.5mm
25-005	45mm BZP	3.5mm
25-006	50mm BZP	3.5mm
25-007	55mm BZP	3.5mm
25-008	60mm BZP	4.2mm
25-009	65mm BZP	4.2mm
25-010	75mm BZP	4.2mm
25-010A	90mm BZP	4.2mm
25-010B	100mm BZP	3.5mm
25-010C	125mm BZP	3.5mm
25-011	25mm Black	3.5mm
25-012	32mm Black	3.5mm
25-013	38mm Black	3.5mm
25-014	42mm Black	3.5mm
25-015	45mm Black	3.5mm
25-016	50mm Black	3.5mm
25-017	55mm Black	3.5mm
25-019	70mm Black	3.5mm
25-020	75mm Black	3.5mm
25-020A	90mm Black	3.5mm
25-021	100mm Black	3.5mm

**BOX QUANTITY 1000 - UNLESS OTHERWISE STATED**

## WAFFER HEAD DRYWALL SCREWS

Self Drilling hardened point designed for fitting dry linings to steel framework without drilling pilot holes. Wafer Head. BZP Finish. RSP & Self Drilling.



Order Code	Diameter / Length (mm)
25-210	4.2 x 13mm RSP
25-211B	4.2 x 25mm RSP
25-211	4.2 x 13mm Self Drilling
25-211A	4.2 x 25mm Self Drilling
25-211C	4.2 x 19mm Self Drilling

## SELF DRILLING DRYWALL SCREWS

Bugle Head, Phillips Recess, Hardened, Self Drilling, Bright Zinc Plated.



Order Code	Diameter/Length (mm)
25-200	25mm
25-201	32mm
25-202	38mm
25-203	42mm
25-204	50mm
25-205	55mm
25-205A	60mm
25-206	70mm
25-206A	75mm

**BOX QUANTITY 1000**

## COLLATED DRYWALL SCREWS

Black Phosphate, Bugle Head, Phillips Recess.



Order	Diameter/Length
25-101	25mm
25-101A	25mm Fine Thread
25-102A	32mm
25-102	35mm
25-102AA	35mm Fine Thread
25-103	38mm
25-102D	38mm Fine Thread
25-103B	42mm
25-103A	42mm Fine Thread
25-103D	45mm
25-104A	50mm
25-104C	50mm Fine Thread
25-105	55mm
25-105A	55mm Fine Thread
25-105B	65mm
25-107	75mm
25-106F	75mm Fine Thread

**BOX QUANTITY 1000**

## STORAGE BOXES

Contents may vary from illustrations.

Order Code	Description
29-261	Storage Box (10 removable compartments)
29-260	Storage Box (9 Compartment)



## WOODSCREW TRADE CASE

- The professional choice for efficient tidy storage of woodscrews etc.
- Specially designed push release system to reduce the risk of accidental opening
- Features a sturdy grip handle with heavy duty twin-toggle catches
- Industrial quality
- Robust steel construction with full case length industrial hinge
- 30 colour coded removable compartments



Order Code	Description
29-225	Trade Case c/w 4000 Woodscrews
29-226	Trade Case

## CASE REFILLS

Strong with individual compartments. With two catches and a foam lid, you are sure to arrive at the job without a big mix up. Contact us for up to date prices and stock availability.

Order Code	Description
29-229	Basic-5500 assorted to replenish all sections of the trade case
29-230	Maxi-10400 assorted to replenish all sections of the trade case with additional spare stock.
29-231	Select-7400 of the most popular sizes from 4x20 to 6x100 for the trade case.

## HARLEQUIN FIXING CASE



Contents:  
 100 Red plugs  
 100 Brown plugs  
 50 Spit Drills  
 25 8 x 100 Hammer Ins  
 100 3.5 x 30 MP Woodscrews  
 100 3.5 x 40 MP Woodscrews  
 100 4.0 x 25 MP Woodscrews  
 100 4.0 x 30 MP Woodscrews  
 100 4.0 x 40 MP Woodscrews  
 100 5.0 x 40 MP Woodscrews

- A selection of our most popular lightweight fixings and woodscrews
- A must for all tradesmen to get you out of that troublesome fixing problem

**Order Code 29-264**

## HARLEQUIN SELF TAPPING CASE

- A selection of popular tapping screws in both countersunk and pan head
- Ideal for that unexpected situation

Contents:  
 100 8 x 3/8 c/sk screw  
 100 8 x 1/2 c/sk screw  
 100 8 x 3/4 c/sk screw  
 100 8 x 1 c/sk screw  
 100 8 x 1 1/8 pan screw  
 100 8 x 1 1/2 pan screw  
 100 8 x 1 3/4 pan screw  
 100 8 x 1 pan screw  
 100 8 x 2 pan screw



**Order Code 29-262**





## SCREWDRIVER BITS

Manufactured to DIN standards giving consistent performance in all day to day situations. Packed in a 'crystal' reusable box. 1/4" hex drive.

Order Code	Drive	Length
29-209	PH1	25
29-210	PH2	25
29-211	PH3	25
29-212	PH4	25
29-213	PH1	50
29-214	PH2	50
29-215	PH3	50
29-216	PZ1	25
29-217	PZ2	25
29-218	PZ3	25
29-219	PZ4	25



Order Code	Description
29-223C	1/4" Hex Magnetic Screwholder
29-223CC	1/4" Hex Magnetic Screwholder Twinpack

## SCREWDRIVER BITS FOR AUTOFEED

Order Code	Description
29-257B	Screwdriver Bits for New 5.0mm Makita 6834 (10)
29-257BA	Square Drive Bits for Makita 6834 (Pkt. 10)
29-257C	Screwdriver Bits for 6834 Pozi 2
29-257D	Screwdriver Bits for Senco DS200
29-257DA	Square Drive Bits for DS200
29-257E	Screwdriver Bits for Senco 18V DS275
29-257EA	PHILLIPS 2 Screwdriver Bits for DS275AC
29-257FA	PH2 Bit for Makita 6843/ BFR550 Autofeed (Pkt. 3)
29-257FB	Phillips Bit for Makita BFR750 Autofeed
29-257FG	Square Drive Bits DS275 / DS300 110V
29-257G	Pozi Drive Bits DS275 18V
29-258	Phillips 2 Bits for Evolution Gun (Corded)
29-258A	Phillips Bits for Evolution Gun (Cordless)
29-259	PH2 x 154 Screwdriver Bit for Senco DS275AC



## COLLATED SCREWS

**Save your back & knees** - perform many fastening operations from a standing position. The newly re-engineered extension and handle reduce back strain even more.

### THE AUTOFEED SYSTEM FOR DRYWALLING, FLOORING AND DECKING

Configure the system to fit your application— with or without the "stand-up" extension.  
**Screw strips load instantly — just stick them in and drive.**



Order Code	Description	Box Quantity
76-000	QuikDrive 2000SDS COMPLETE KIT (110v)	
76-000A	QuikDrive 2000SDS COMPLETE KIT (240v)	
76-100	6 x 1 1/4" 32mm Drywall Screws	2500
76-101	6 x 1.5/8" 41mm Drywall Screws	2500
76-102	6 x 2" 50mm Drywall Screws	2000
76-107	8 x 2 1/2" 63mm Drywall Screws	
76-110	8 x 1.3/4" 45mm SQ.HD.No.3 Flooring Screws	2000
76-111	8 x 2" 50mm SQ.HD. No.3 Flooring Screws	2000
76-112	8 x 2.1/2" 63mm SQ.HD. No.3 Flooring Screws	1500
76-113	8 x 2 1/2" Decking Screws	1500
76-114	8 x 2" Decking Screws	2000
76-202	2 1/2" Cast Iron Screw Feeder Nosepiece	
76-203	Extension for G2 Quikdrive	

### CALL NOW FOR AN ON-SITE DEMONSTRATION

## SCREW COVER CAPS

Suitable for screw sizes 6g & 8g (push on pozi and hinged). Suitable for screw sizes 10g & 12g (hinged only) T-30 caps available for use with frame screws. Available in various colours.



## SCREW CUPS

A decorative finish for under screw heads. Manufactured from brass and available in natural or nickel plated finish.



Order Code	Description
29-201	White Hinged Cover Cap (6 - 8)
29-201A	Black Hinged Cover Caps (6 - 8)
29-201AA	Beige Hinged Cover Caps (6 - 8)
29-201AAA	Brown Hinged Cover Caps (6 - 8)
29-201AB	Grey Hinged Cover Caps (6 - 8)
29-201B	White Hinged Cover Caps (10 - 12)
29-201E	Polished Chrome Dome Cover Caps
29-202	Mahogany Push On Cover Caps (6 - 8)
29-202A	Brown Hinged Cover Caps (10 - 12)

**BOX QUANTITY 100**

Order Code	Diameter/Length (mm)
29-203	No.6 Brass
29-204	No.8 Brass
29-205	No.10 Brass
29-206	No.6 Nickel
29-207	No.8 Nickel
29-208	No.10 Nickel
29-233	No.6 Brass
29-234	No.8 Brass
29-235	No.10 Brass

**BOX QUANTITY 200**

# Screws, Fixings & Accessories

[www.harlfix.co.uk](http://www.harlfix.co.uk)


Tel: 01563 545 266  
txtUs: 07860 021 944  
Fax: 01563 545 267  
Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)

**HARLEQUIN**  
FIXINGS & SEALANTS LTD.



## COACH SCREWS

Suitable for use in wood or with a wall plug.  
Manufactured to DIN571 and zinc plated.  
Ideal for heavy duty applications including satellite installations.



Order Code	Size
29-301	6 x 30
29-302	6 x 40
29-303	6 x 50
29-304	6 x 60
29-305	6 x 70
29-306	6 x 75
29-307	6 x 80
29-308	6 x 90
29-310	8 x 40
29-311	8 x 45
29-312	8 x 50
29-313	8 x 60
29-314	8 x 65
29-315	8 x 70
29-316	8 x 75
29-317	8 x 80
29-318	8 x 90
29-319	8 x 100
29-320	8 x 120
29-321	8 x 150

Order Code	Size
29-322	10 x 40
29-323	10 x 50
29-324	10 x 60
29-325	10 x 65
29-326	10 x 70
29-327	10 x 75
29-328	10 x 80
29-329	10 x 90
29-330	10 x 100
29-331	10 x 120
29-332	10 x 140
29-333	10 x 150
29-334	10 x 160
29-335	10 x 180
29-336	10 x 200
29-337	12 x 80
29-338	12 x 100
29-339	12 x 120
29-340	12 x 150
29-341	12 x 180
29-342	12 x 200


**BOX QUANTITY 100**

## TIMBER DECKING SCREWS

NO Pre-drilling SUPERIOR Holding Power.

## STRUCTURAL SCREWS

Ideal for fixing into timber, decking, stairs, fencing, roofing, landscaping etc.



Order Code	Diameter/Length (mm)
28-250R	5 x 50
28-251R	5 x 65
28-252R	5 x 75
28-253R	5 x 100

**BOX QUANTITY 200**

Order Code	Diameter/Length (mm)
28-902	6.3 x 60
28-902A	6.3 x 75
28-903	6.3 x 87
28-903A	6.3 x 100
28-904	6.3 x 125
28-904A	6.3 x 150
28-904B	6.3 x 200
28-904C	6.3 x 250

**BOX QUANTITY 100**

## SELF TAPPING SCREWS

Bright Zinc Plated.  
Pan and Countersunk  
Head available.



Gauge	Length	Order Code/Pozi	
		Pan	Csk
6	1/4"	24-054	-
	3/8"	24-056	-
	1/2"	24-057	24-010
	5/8"	24-058	24-011
	3/4"	24-059	24-012
	1"	24-060	24-013
	1 1/4"	24-061	24-014
	1 1/2"	24-062	24-015
8	3/8"	24-063	24-016
	1/2"	24-064	24-017
	5/8"	24-065	24-018
	3/4"	24-066	24-019
	1"	24-067	24-020
	1 1/4"	24-068	24-021
	1 1/2"	24-069	24-022
	1 3/4"	24-070	24-023
10	2"	24-071	24-024
	1/2"	24-073	-
	5/8"	24-074	-
	3/4"	24-075	-
	1"	24-076	24-028
	1 1/4"	24-077	24-029
	1 1/2"	24-078	24-030
	2"	24-080	24-032
12	1/2"	24-081	-
	1"	24-084	24-036
	1 1/2"	24-086	24-038
14	3/4"	24-091	-

**BOX QUANTITY 1000**

**WE ARE OPEN**  
**MON. ~ THUR.**  
**7.30am till 6.00pm**  
**FRIDAY**  
**7.30am till 5.00pm**  
**SATURDAY**  
**8.00am till 12 noon**





## TAPCON MASONRY ANCHORS

Carbon steel self tapping anchors. Special Hi-Lo thread form and blue Climaseal finish. Supplied complete with one 'D' end rotary percussion drill in every box of 100 anchors. Recommended by Bison and other leading manufacturers of pre-stressed hollow beams.



Order Code	Size mm	Beams Head	Fixing Thickness mm
75-100	5 x 32	Csk pozi	0 - 7
75-101	5 x 45	Csk pozi	5 - 20
75-102	5 x 57	Csk pozi	17 - 32
75-103	5 x 70	Csk pozi	30 - 45
75-104	5 x 82	Csk pozi	42 - 57
75-105	5 x 100	Csk pozi	60 - 75
75-106	6 x 32	Csk pozi	0 - 7
75-107	6 x 45	Csk pozi	5 - 20
75-108	6 x 57	Csk pozi	17 - 32
75-109	6 x 70	Csk pozi	30 - 45
75-110	6 x 82	Csk pozi	42 - 57
75-111	6 x 100	Csk pozi	60 - 75
75-112	6 x 125	Csk pozi	85 - 100
75-113	4.8 x 32	Hex 1/4	0 - 7
75-114	4.8 x 45	Hex 1/4	5 - 20
75-115	4.8 x 57	Hex 1/4	17 - 32
75-116	6.3 x 32	Hex 5/16	0 - 7
75-117	6.3 x 45	Hex 5/16	5 - 20
75-118	6.3 x 57	Hex 5/16	17 - 32
75-119	6.3 x 70	Hex 5/16	30 - 45
75-120	6.3 x 82	Hex 5/16	42 - 57
75-121	6.3 x 100	Hex 5/16	60 - 75

**BOX QUANTITY 100**

## TAPCON DRILL BIT

Order Code	Description
75-140	4.35 x 110 Percussion Bit
75-141	4.35 x 140 Percussion Bit
75-142	5.15 x 110 Percussion Bit
75-143	5.15 x 140 Percussion Bit
75-144	5.15 x 165 Percussion Bit
75-145	4.35 x 180 SDS+ Bit
75-146	5.15 x 180 SDS+ Bit

## CONDRIVE TOOL

Order Code	Description
75-130	CD1000 Condrive tool
75-131	CD101 Drill bit holder
75-132	CD102 Drive Sleeve
75-133	CD106 1/4 Hex socket 3H range
75-134	CD107 5/16 Hex socket 4H range
75-135	CD110 Phillips drive adaptor



## TIMBER FIX SCREWS

### FIXING TIMBER TO LIGHT SECTION STEEL UP TO 3mm

Order Code	Description
24-122A	4.8 x 38 Timberfix LS
24-123A	5.5 x 50 Timberfix LS (Box 200)
24-124	5.5 x 65 Timberfix LS (Box 200)
24-125	5.5 x 85 Timberfix LS
24-126	5.5 x 100 Timberfix LS

### FIXING TIMBER TO HEAVY SECTION STEEL UP TO 12mm

Order Code	Description
24-128	5.5 x 45 Timberfix HS (Box 200)
24-129	5.5 x 65 Timberfix HS
24-131	5.5 x 85 Timberfix HS
24-132	5.5 x 100 Timberfix HS
24-132A	5.5 x 120 Timberfix HS

### FIXING LIGHT SECTION STEEL TO TIMBER

Order Code	Description
24-133	6.3 x 32 Gash Point 16mm Washer (Box 200)
24-135	6.3 x 45 Gash Point 16mm Washer (Box 200)
24-138	6.3 x 60 Gash Point C/W Washer

### FIXING STEEL TO STEEL LIGHT SECTION 3mm MAX

Order Code	Description
24-139	5.5 x 25 Steel to Steel LS C/W Washer
24-140	5.5 x 32 Steel to Steel LS C/W Washer
24-141	5.5 x 38 Steel to Steel LS C/W Washer
24-142	5.5 x 50 Steel to Steel LS C/W Washer
24-142A	5.5 x 70 Steel to Steel LS C/W Washer

### FIXING STEEL TO STEEL HEAVY SECTION 12mm MAX

Order Code	Description
24-143	5.5 x 22 Steel to Steel HS C/W Washer
24-145	5.5 x 38 Steel to Steel HS C/W Washer
24-145A	5.5 x 38 Steel to Steel HS C/W Washer
24-146	5.5 x 55 Steel to Steel HS C/W Washer
24-146A	5.5 x 65 Steel to Steel HS C/W Washer
24-147	5.5 x 80 Steel to Steel HS C/W Washer
24-148	5.5 x 100 Steel to Steel HS C/W Washer



## DIRECT FRAME ANCHOR



**StarFix** Self tapping thread enables lower drive-in torque with exceptional holding. No plug required in concrete, solid brick, sand-lime brick, pumice stone, honeycomb brick,



Order Code	Size 6 mm pilot hole required	Permanent and secure in many applications. Spaced hi-lo thread provides ultimate grip and allows for multiple re-fixing without stripping the formed tapped hole. High strength in temporary fixing applications, leaves no steel parts behind to corrode after removal.
08-100	7.5 x 62	
08-101	7.5 x 82	
08-102	7.5 x 102	
08-103	7.5 x 112	
08-104	7.5 x 122	
08-105	7.5 x 142	
08-106	7.5 x 152	
08-107	7.5 x 182	
08-108	7.5 x 202	
08-109	T30 TORX BIT	

**BOX QUANTITY 100**

## HAMMER FIXINGS

Ideal for all types of frames, battens, conduits and brackets, where a large number of repetitive fixings are required. Provides a fast, positive fixing using a special drive screw and matched nylon sleeve.

Order Code	Diam. x Length (mm)	
07-001	5	30
07-002	5	50
07-003	6	40
07-004	6	50
07-005	6	60
07-006	6	80
07-007	8	60
07-008	8	80
07-009	8	100
07-010	8	120
07-011	8	135



**BOX QUANTITY 100**

## SPIT FAST HAMMER SCREW

The SPIT HIT has been designed to address the problem of fixing accessories into light or friable materials. It has a special sleeve shape and large expansion capability enabling it to carry exceptional loads in all kinds of material; performing even under extreme conditions.

Order Code	Dia. mm	Length mm	Fix Thru
Box Qty. 100			
75-000A	5	25	1
75-000B	5	35	5
75-000C	5	45	15
75-000D	6	35	5
75-000E	6	45	15
75-000F	6	55	25
75-000G	6	70	45
75-000H	8	45	15
75-000J	8	60	35
75-000K	8	75	40
75-000L	8	100	60
75-000M	8	120	80
75-000N	8	135	95



## SPIT HIT M HAMMER SCREW

Order Code	Dia. mm	Length mm	Fix Thru mm
STAINLESS STEEL			Box Qty. 200
75-014	6	30P A4	5
			Box Qty. 100
75-015	6	50P A4	25
75-016	6	65P A4	40
75-017	8	40P A4	10
75-018	8	60P A4	30
75-019	8	90P A4	60



## FRAME FIXINGS

Nylon fixing ideal for securing window and door frames to solid building materials including low density blockwork. Features two-way split, maximum expansion and anti-rotation fins for ease of setting.

Order Code	Diam. x Length mm	
08-001	8	80
08-002	8	100
08-003	8	120
08-004	10	80
08-005	10	100
08-006	10	115
08-007	10	135
08-008	10	160

**BOX QUANTITY 100**

## SPIT NYLON FRAME FIXING

A high performance nylon frame fixing ideal for securing window and door frames etc. to solid building materials including low density brickwork.

Order Code	Dia. mm	Length mm	Fix Thru mm
Box Qty. 100			
75-000P	8	60	15
75-000Q	8	80	35
75-000R	8	100	55
75-000S	8	120	75
75-000T	10	80	30
75-000U	10	100	50
75-000V	10	115	65
75-000W	10	135	85
75-000X	10	160	110



## SPIT ISOMET UNIVERSAL INSULATION ANCHOR

Corrosion proof anchor with hammer in polypropylene peg. Deep profiled expansion zone and rough cast head to provide a good key for render.

Order Code	Description
75-200	10 - 30/60
75-201	10 - 60/90
75-202	10 - 80/110
75-203	10 - 100/130
75-204	10 - 120/150
75-205	10 - 145/175
75-206	10 - 165/195
75-207	10 - 185/215
75-208	10 - 205/235



**BOX QUANTITY 200**

## SPIT ISOMET INSULATION ANCHORS

Ideal for fixing external and internal insulation board and expanded metal lathe. This fire and corrosion resistant anchor has a tapered shank for easy installation and holes in head provide a good key for applying render.

### Spit Isomet Insulation Anchor Galvanised

Order Code	Description	Hole Diameter & Length	Max Insulation
75-209A	8 - 30/80	8 x 80mm	30mm
75-209B	8 - 60/110	8 x 110mm	60mm
75-209C	8 - 90/140	8 x 140mm	90mm
75-209D	8 - 120/170	8 x 170mm	120mm
75-209E	8 - 150/200	8 x 200mm	150mm

### Spit Isomet CC Insulation Anchors for Hollow Base Materials - 5µm Zinc Plated

Order Code	Description	Hole Diameter & Length	Max Insulation
75-209J	12 - 60/113	12 x 113mm	60mm
75-209K	12 - 80/133	12 x 133mm	80mm
75-209L	12 - 110/153	12 x 153mm	100mm

### Spit Isomet Insulation Anchor Stainless Steel Grade A2-304

Order Code	Description	Hole Diameter & Length	Max Insulation
75-210	8 - 30/80	8 x 80mm	30mm
75-211	8 - 60/110	8 x 110mm	60mm
75-212	8 - 90/140	8 x 140mm	90mm

**BOX QUANTITY 250**

## HOLLOW WALL ANCHOR

A strong, permanent anchorage to plasterboard and other partition materials. The anti-rotation lugs penetrate the material to allow setting with a screwdriver. For fast, repetitive installation a setting tool is required.

Order Code	Screw Size (mm)	Grip Range
11-001	4 x 20	0 - 4
11-002	4 x 32	2 - 6
11-002B	4 x 60	5 - 20
11-0003A	5 x 37	6 - 13
11-004	5 x 52	3 - 16
11-005	5 x 65	14 - 32
11-006	6 x 37	6 - 13
11-006A	6 x 52	3 - 16
11-006B	6 x 60	7 - 16
11-007	6 x 65	14 - 32
11-010	5 x 37	3 - 16

**BOX QUANTITY 100**



## SETTING TOOL

For fast, precise installation of hollow wall anchors.

Order Code	Description
11-008	Setting Tool



## FIXING KIT

Ideal when re-fixing into existing plug or anchor holes. Alternative screws can be used if required for different fixtures.



Order Code	Description
12-002	Plasterboard Fixing Kit C/W 200 Metal Speed Plugs

## DRIVA

The ultimate lightweight fixing for plasterboard. No maximum / minimum plasterboard thickness.

Order Code	Description
12-001A	Spit Driva c/w 35mm screw



**BOX QUANTITY 100**

## SELF DRIVE PLASTERBOARD FIXING

For fixing items directly into plasterboard. Super sharp split point for quick installation. Split point will also open for longer length screws. Cross recess for use with either a power or standard screw driver.

Order Code	Description
12-002B	Metal Self Drive Plasterboard Fixing



**BOX QUANTITY 100**



## Screws, Fixings & Accessories

[www.harlfix.co.uk](http://www.harlfix.co.uk)

Tel: 01563 545 266  
 txtUs: 07860 021 944  
 Fax: 01563 545 267  
 Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)

**HARLEQUIN**  
 FIXINGS & SEALANTS LTD.



## WALL PLUGS (Plastic)



An economic plug designed to meet the standard requirements of trade users. The flange is sized to allow the plug to pass through wooden fixtures on the application of extra pressure w/hist stopping the plug disappearing down n deep holes.

Order Code	Colour	Size (mm)	
		Screw	Drill
01-001	Yellow	6-8	5.5
01-002	Red	6-8	5.5
01-003	Brown	10-14	7.0
01-004	Blue	12-16	10.0

BOX QUANTITY 1000

## WALL PLUGS (Nylon)



A superb high performance screw fixing, fitted with anti-rotation barbs. It is especially recommended for use in soft materials or where the higher performance characteristics of nylon are required.

Order Code	Size (mm)	Size	
		Screw	Drill
02-001	5 x 25	4 - 6	5
02-002	6 x 30	6 - 10	6
02-003	7 x 35	8 - 12	7
02-004	8 x 40	10 - 14	8
02-005	10 x 50	14 - 18	10
02-006	12 x 60	10 mm	12
02-007	14 x 80	12 mm	14

BOX QUANTITY 100

## SPIT PRO 6 UNIVERSAL NYLON ANCHOR



Efficient light weight anchor. Six expandable zones for effective anti-rotation in most base materials. For use in picture and kitchen fittings, in many substrates including solid/aerated concrete, solid stone, hollow block, hollow slab, plasterboard, solid block, and solid/hollow brick.

Order Code	Desc.	Anchor Length	Anchor Dia.	Hole Dia.
75-040	5x25	25mm	6.6	5
75-041	6x30	30mm	7.5	6
75-042	8x40	40mm	9.1	8
75-043	10x50	50mm	11.1	10

BOX QUANTITY 100

## RAWL UNO PLUGS



Universal, for use in Concrete, Brickwork, Stone, Blockwork and Plasterboard. Unique design with expansion throughout the length of the plug. Expands at the top giving instant grip. Anti-rotation features prevent spinning in the hole.

Order Code	Colour	Plug (mm)	Screw (mm)	Hole Dia.
01-001A	Red	24	3.0 - 4.5	5mm
01-010	Yellow	28	3.5 - 5.0	6mm

BOX QUANTITY 1000

## FRAME PACKERS

These plastic packers are designed for aligning battens and frames when mounting on irregular surfaces. More accurate and economic than hand cut wooden pieces and have the advantage of gripper guides to prevent packers falling. Packed in bags of 200 they are colour coded for easy identification. They are rot proof, moisture resistant, have high weight loadings and are a cost effective time saving solution.



Order Code	Description	Box Qty.
22-132	1mm x 43mm x 55mm Yellow	1000
22-132A	1mm x 43mm x 55mm Yellow	200
22-133	2mm x 43mm x 55mm Green	1000
22-133A	2mm x 43mm x 55mm Green	200
22-134	3mm x 43mm x 55mm Blue	1000
22-134A	3mm x 43mm x 55mm Blue	200
22-135	4mm x 43mm x 55mm Red	1000
22-135A	4mm x 43mm x 55mm Red	200
22-136	5mm x 43mm x 55mm Brown	1000
22-136A	5mm x 43mm x 55mm Brown	200
22-137	6mm x 43mm x 55mm Black	1000
22-137A	6mm x 43mm x 55mm Black	200
22-138	10mm x 43mm x 55mm Grey	1000
22-138A	10mm x 43mm x 55mm Grey	200
22-139	Assorted x 43mm x 55mm	1000
22-139A	Assorted x 43mm x 55mm	200
22-140	1mm x 43mm x 101mm Yellow	500
22-140A	1mm x 43mm x 101mm Yellow	200
22-141	2mm x 43mm x 101mm Green	500
22-141A	2mm x 43mm x 101mm Green	200
22-142	3mm x 43mm x 101mm Blue	500
22-142A	3mm x 43mm x 101mm Blue	200
22-143	4mm x 43mm x 101mm Red	500
22-143A	4mm x 43mm x 101mm Red	200
22-144	5mm x 43mm x 101mm Brown	500
22-144A	5mm x 43mm x 101mm Brown	200
22-145	6mm x 43mm x 101mm Black	500
22-145A	6mm x 43mm x 101mm Black	200
22-146	10mm x 43mm x 101mm Grey	500
22-146A	10mm x 43mm x 101mm Grey	200
22-147	Assorted x 43mm x 101mm	500
22-147A	Assorted x 43mm x 101mm	200



## PLASTIC HEADED PINS & NAILS

For use within facias, barge boards, soffits, cladding and window trims. Manufactured from A4 stainless steel with annular ring shank.



Order Code	Size mm	Head Colour
13-001	25 x 1.9	250 White
13-002	25 x 1.9	250 Brown
13-003	30 x 1.9	250 White
13-004	30 x 1.9	250 Brown
13-005	40 x 1.9	250 White
13-006	40 x 1.9	250 Brown

Order Code	Size mm	Head Colour
13-007	50 x 3.3	100 White
13-008	50 x 3.3	100 Brown
13-009	65 x 3.3	100 White
13-010	65 x 3.3	100 Brown

## PANEL PINS, TACKS & WIRE NAILS

Order Code	Description
13-206A	75mm x 3.75mm Galv. Round Wire Nails
13-207	100mm x 4.50mm Galv. Round Wire Nails
13-211A	20mm x 2.0mm Brt. Ann. Ring Nails
13-213	65mm x 3.35mm Brt. Ann. Ring Nails
13-213A	65mm x 3.35mm Sher. Ann. Ring Nails
13-216A	40mm x 3.35mm Galv. Clouts
13-218	40mm x 2.65 Y/Pass Ann. Drywall Nails
13-219A	30mm x 3.75mm Sq. Sher. Twist Nails
13-239	13mm Galv. Felt Nails 500g
13-240	20mm Galv. Felt Nails 500g
13-024	30mm x 16g Brt. Panel Pins 500g
13-026	40mm x 16G Brt. Panel Pins 500g
13-048	30mm x 16G BZP Panel Pins 500g
13-050	40mm x 16G BZP Panel Pins 500g
13-051	30mm Bayonet Blue Fine Cut Tacks 500g





## CABLE CLIPS



For use in wood, masonry and compressed board, flexible design for use with various cable sizes. Made from impact resistant polypropylene with a hardened, plated nail.

Order Code	Cable	Size (mm)	Colour
05-302	Round	3 - 5	White
05-304	Round	5 - 7	White
05-306	Round	7 - 10	White
05-311	Round	10 - 14	White
05-313	Round	14 - 20	White
05-320	T & E	1 - 1.5	Grey
05-324	T & E	2.5	Grey
05-326	T & E	4 - 6	Grey

**PACK QUANTITY 1000**

## CABLE TIES



6.6 Grade nylon meets military specification. Locking action gives superb grip.

Order Code	Size (mm)	Colour
05-100	100 x 2.5	Neutral
05-101	100 x 2.5	Black
05-102	150 x 3.6	Neutral
05-103	150 x 3.6	Black
05-104	200 x 4.6	Neutral
05-105	200 x 4.6	Black
05-106	200 x 3.6	Neutral
05-107	200 x 3.6	Black
05-108	300 x 4.8	Neutral
05-109	300 x 4.8	Black
05-110	370 x 4.8	Neutral
05-111	370 x 4.8	Black
05-112	380 x 7.6	Neutral
05-113	380 x 7.6	Black

**PACK QUANTITY 100**

## CONNECTOR STRIP

Manufactured from self extinguishing rigid white polypropylene. CE approved for use in working temperatures of up to 125°C.



Order Code	Size
05-200	3 amp
05-201	5 amp
05-202	15 amp
05-203	30 amp

**PACK QUANTITY 10**

## INSULATING TAPE

A high quality PVC Insulation Tape to BS EN 60454. Flame Retardant. Extremely flexible, good adhesion. For wire and cable insulation bundling and reinforcing.



Order Code	Width x Length	Colour
05-001	19mm x 20m	Red
05-002	19mm x 20m	Yellow
05-003	19mm x 20m	Blue
05-004	19mm x 20m	Black
05-005	19mm x 20m	White
05-006	19mm x 20m	Green
05-007	19mm x 20m	Earth
05-007A	19mm x 20m	Brown
05-007B	19mm x 20m	Grey
05-008	19mm x 33m	Red
05-009	19mm x 33m	Yellow
05-010	19mm x 33m	Blue
05-012	19mm x 33m	White
05-013	19mm x 33m	Green
05-014	19mm x 33m	Earth
05-009A	50mm x 33m	Yellow
05-011	50mm x 33m	Black

## FIXING BAND

Suitable for installations, anchoring etc. in electrical, building, heating and ventilation. Easy to cut and shape. Configuration 8.



Order Code	Description
60-001	10m x 12m x 0.75mm Galv

**N.B. Many other configurations & finishes e.g. plastic coated & copper are available.**

## BRASS MACHINE SCREWS

RAISED Countersunk Head Nickel plated brass machine screws. Suitable for socket boxes, switches etc.



Order Code	Size (mm)
05-401	3.5 x 25
05-403	3.5 x 35
05-404	3.5 x 40
05-405	3.5 x 50
05-407	3.5 x 75

PAN HEAD Suitable for many electrical installations.



05-409	4 x 6
05-410	4 x 10
05-411	4 x 12
05-412	4 x 16
05-413	4 x 20
05-414	4 x 25
05-415	4 x 30
05-416	4 x 40
05-417	4 x 50
05-418	M4 Nuts

## PIPE CLIPS



**Masonry Nail** - ready assembled with masonry nail for quick fixings.  
**Interlock** - Secure all round pipe clip which can be attached to adjacent clips of the same type giving a neat finish.  
**Open Snap On** - Tight fitting single screw fixing clip of the traditional type.

Order Code	Description
03-000B	15mm Nail In
03-000C	22mm Nail In
03-000D	28mm Nail In
03-005B	15mm Interlok
03-005E	22mm Interlok
03-005F	28mm Interlok
03-007	15mm Snap On
03-007A	22mm Snap On
03-007B	28mm Snap On

**PACK QUANTITY 1000**



## HARLCUT DIAMOND BLADES



### HARLCUT 4★ General Purpose

- 10mm Segment Height
- 30% Diamond content
- Wide Range of Applications
- Sintered Construction
- Cuts up to 10mm rebar
- Excellent value for money

**SUITABLE FOR ALL GENERAL PURPOSE APPLICATIONS plus will cut harder materials on an occasional basis.**

### HARLCUT 5★

- 10mm Segment Height
- 35% (37% for Asphalt) Diamond content
- Specific Blades for Range of Applications
- Double Laser Welded Construction
- Cuts up to 10mm rebar
- Excellent value for money
- Colour Coded Labels
- Asphalt/Abrasive Blades have 15mm Drop Segments to prevent undercutting.

### HARLCUT 15 MULTI-PURPOSE BLADES

**Cuts all materials from Asphalt through to 50kn (Medium Hard) Concrete**

- Double Laser Welded
- 15 mm Segment
- Turbo Segment for Hard Materials
- Heat dissipating holes to avoid glazing

**A TRULY MULTI-PURPOSE BLADE**



### HARLCUT TRADE MASONRY BLADES

- 8mm Segment Height
- 30% Diamond Content

**SUITABLE FOR A VARIETY OF MASONRY MATERIALS**

### ASPHALT / ABRASIVE BLADES

- 8mm Segment Height
- 30% Diamond Content
- 15mm Drop Segments

**ALL BLADES MEET  
CURRENT ISO, DSA  
& FEPA INTERNATIONAL  
STANDARDS**

Order Code	Description	Application
<b>GENERAL MASONRY APPLICATIONS</b>		
30-418	HARLCUT TRADE 300 x 20mm	General Masonry
30-400	HARLCUT 4* 115 x 22mm	General Masonry
30-402	HARLCUT 4* 230 x 22mm	General Masonry
30-403	HARLCUT 4* 300 x 20mm	General Masonry
30-405	HARLCUT 5* 300 x 20mm	General Masonry
30-406	HARLCUT 5* 350 x 25mm	General Masonry
30-407	HARLCUT 5* 450 x 25mm	General Masonry
30-426	HARLCUT 115 x 22mm	Mortar Raking
<b>HARD MATERIALS</b>		
30-408	HARLCUT 5* 300 x 20mm	Hard Materials
30-409	HARLCUT 5* 350 x 25mm	Hard Materials
30-410	HARLCUT 5* 450 x 25mm	Hard Materials
<b>ASPHALT/ABRASIVE APPLICATIONS</b>		
30-418A	HARLCUT TRADE 300 x 20mm	Asphalt
30-411	HARLCUT 5* 300 x 20mm	Asphalt
30-412	HARLCUT 5* 350 x 25mm	Asphalt
30-413	HARLCUT 5* 450 x 25mm	Asphalt
30-416	HARLCUT PREMIUM 300 x 20mm	Asphalt
30-417	HARLCUT PREMIUM 350 x 25mm	Asphalt
<b>MULTI PURPOSE APPLICATIONS</b>		
30-414	HARLCUT MP15 300 x 20mm	Multi-Purpose

### TWO STROKE OIL ADDITIVE

Stihl 07813198401 HP 2-Stroke Engine Oil. Frequently used mineral-oil based two-stroke engine oil. Specially developed for Stihl engines. Excellent lubrication and combustion properties.

Performance class: JASO FB, ISO-L-EGB. Fuel/oil ratio 1:50. 100 ml (for 5 Litres)



Order Code	Description
60-034	Two Stroke Additive ~ 10 pack



## ABRASIVE CUTTING & GRINDING DISCS



All discs comply with every known safety standard and the most stringent in the world to date. VGB49 compliance includes bursting speed, side loading, impact resistance, balance and dimensional compliance.

Order Code	Size mm	Description
<b>Stone Cutting</b>		
30-001	100	Flat
30-002	115	Flat
30-003	125	Flat
30-005	178	Flat
30-006	230	Flat
30-007A	300	Flat
30-008	100	DC
30-009	115	DC
30-010	125	DC
30-011	178	DC
30-012	230	DC

<b>Stone Grinding</b>		
30-014	115	DC
30-015	125	DC
30-018	230	DC

<b>Metal Cutting</b>		
30-019	100	Flat
30-020	115	Flat
30-021	125	Flat
30-023	178	Flat
30-024	230	Flat
30-025	300	Flat
30-026	350	Flat
30-027	100	DC
30-028	115	DC
30-029	125	DC
30-030	178	DC
30-031	230	DC

<b>Metal Grinding</b>		
30-032	100	DC
30-033	115	DC
30-034	125	DC
30-036	178	DC
30-037	230	DC

## EXTRA THIN METAL CUTTING DISCS

Top quality range of discs suitable for a full range of cutting applications. The fastest and most efficient blades for cutting both mild steel and stainless steel.

Order Code	Size mm
30-083	100mm x 1mm (Phoenix)
30-084	115mm x 1mm x 22mm (Phoenix)
30-084A	115mm x 1mm x 22mm (Proflex)
30-084C	125mm x 1mm (Proflex)
30-084K	230mm x 1.8mm x 22mm (Proflex)



## FLAP DISCS

Universal specification for steel and inox glass fibre backing.

Optimum application angle 20°-30° in accordance with CEN, EN12413, VGB49, ANSI B7.1



Order Code	Description	Grit
30-301	115mm	40
30-302	115mm	60
30-303	115mm	80


## SANDING ROLLS / SHEETS / BELTS

Superior quality sanding products - excellent on hardwood, chipboard, building boards, paint, metal and varnish.

Rolls for sanding wood, chipboard and building board		
Order Code	Size	Grit
30-304	50m x 115mm	60
30-305	50m x 115mm	80
30-306	50m x 115mm	100
30-307	50m x 115mm	120

Full Sheets suitable for sanding all types of wood		
Order Code	Size	Grit
30-308	230mm x 280mm	40
30-309	230mm x 280mm	60
30-310	230mm x 280mm	80
30-311	230mm x 280mm	100
30-312	230mm x 280mm	120
30-313	230mm x 280mm	180
30-314	230mm x 280mm	240

Belts suitable for wood, paint, metal & varnish		
Order Code	Size	Grit
30-315	100mm x 620mm	40
30-316	100mm x 620mm	60
30-317	100mm x 620mm	80
30-318	100mm x 620mm	100
30-319	100mm x 620mm	150
30-320	100mm x 620mm	220
30-321	100mm x 620mm	280





## SPLIT TIFIX THROUGHBOLTS BZP

Fully assembled zinc through bolt anchor. Load assisted through fixing. Anti-rotation expansion sleeve. Drill bit required is same as anchor diameter. Chamfered head - To protect the threads during installation.

Order Code	Diameter x Length (mm)		Max Fixture mm	Box Quantity
75-395A	8	55	5	100
75-395B	8	70	20	100
75-395C	8	90	40	100
75-395D	8	130	80	100
75-395E	10	75	15	100
75-395F	10	95	36	50
75-395G	10	120	60	50
75-395H	10	140	80	50
75-395J	12	80	5	50
75-395K	12	100	25	50
75-395L	12	140	65	50
75-395M	12	160	85	25
75-395N	12	180	105	25
75-395P	12	220	145	25
75-395Q	16	100	5	25
75-395R	16	125	30	25
75-395S	16	170	75	10
75-395T	16	220	103	25
75-395U	20	170	35	25
75-395V	20	220	85	20



## SPLIT FIX II THROUGHBOLTS BZP

A fully threaded load assisted through fixing. Chamfered head to protect the head during installation. Fire tested to ISO834 NT FIRE05.

Order Code	Diameter x Length (mm)		Max Fixture mm	Box Quantity
75-400	6	45	10	100
75-401	6	55	20	100
75-402	6	85	50	100
75-403	8	55	5	100
75-403A	8	70	20	100
75-404	8	90	40	50
75-405	8	130	80	50
75-406	10	65	5	50
75-407	10	75	15	50
75-408	10	96	36	50
75-408A	10	120	60	25
75-409	10	140	80	25
75-410	12	80	5	25
75-411	12	100	25	25
75-411A	12	115	40	50
75-412	12	140	65	25
75-412A	12	160	85	25
75-413	12	180	105	25
75-414	12	220	145	25
75-415	16	100	5	25
75-416	16	125	30	25
75-416A	16	150	55	10
75-417	16	170	75	10
75-418	20	120	10	10
75-419	20	160	50	10
75-420	20	215	105	10
75-421	6mm Wirehanger BZP			



## SPLIT FIX II THROUGHBOLTS GALVANISED

Order Code	Diameter x Length (mm)		Max Fixture mm	Box Quantity
75-422	8	70	20	100
75-423	8	90	40	50
75-424	8	130	80	50
75-425	10	75	15	50
75-426	10	95	35	50
75-427	10	120	60	25
75-428	10	140	80	25
75-429	12	100	25	25
75-430	12	140	65	25
75-431	12	180	105	25
75-432	16	125	30	25
75-433	16	170	75	10



## SPLIT FIX Z THROUGHBOLTS A4 316 ST. ST.

Torque controlled mechanical through fixing, for speed and efficiency on site. Conforms to ETA option 1, approved for an assured fix into cracked and non-cracked concrete.

Order Code	Diameter x Length (mm)		Max Fixture mm	Box Quantity
75-450	6	55	20	100
75-451	8	55	5	100
75-452	8	70	7	100
75-453	8	90	7	50
75-455	10	65	5	50
75-455A	10	75	15	50
75-456	10	95	20	50
75-457	10	120	45	25
75-458	12	80	5	25
75-459	12	100	6	25
75-460	12	115	21	25
75-461	12	140	46	25
75-463	16	125	8	25
75-463A	16	150	33	10
75-464	16	170	58	10







## RAMBOLT LOOSE BOLT

Can be used in all types of base materials. Quick expansion by simply tightening the bolt. Versatile: Supplied with or without bolt. Fixes a wide variety of material thicknesses. High performance - Full area contact in hole (substrate). Applications: Racking and storage, stadium seating, cable tray trunking, pipework switch gear, ventilation ducts, mechanical and electrical services.

Order Code	Size	Max Fixture Thickness mm	Hole Size mm	Box Quantity
75-517	610	15	45	50
75-518	625	35	45	50
75-521	825	25	55	50
75-522	840	35	55	50
75-523	1010	15	65	25
75-524	1025	35	65	25
75-525	1050	55	65	25
75-526	1075	85	85	25
75-527	1210	20	85	25
75-529	1240	50	85	25
75-530	1260	70	85	10
75-532	1630	70	85	10
75-533	1660	60	105	10



## SPIT LOK HEX NUT SLEEVE ANCHOR

These Spit LOK hex nut sleeve anchors have several advantages including their large range, integral nut and washer, and white zinc plated construction for corrosion protection. They are ideally used for applications such as fixing signs, hand rails and wall plates to concrete, solid block, solid brick and stone substrates. They come fully assembled.

Order Code	Diameter x Length (mm)		Max Fixture Thickness mm	Box Quantity
75-303	8	40	5	100
75-304	8	65	30	50
75-307	10	50	10	50
75-308	10	77	37	50
75-309	10	97	57	25
75-312	12	75	25	25
75-313	12	99	49	20
75-314	12	129	79	20
75-315	16	65	10	20
75-316	16	111	56	10
75-317	16	147	92	10



## Also available in PROJECTION BOLT STYLE

## QUANTITY DISCOUNTS AVAILABLE

## TRIGA Z HEAVY DUTY SAFETY ANCHOR

Anti-rotational Z shape which creates sharp angled areas ensuring the anchor is not rotated during tightening. Sleeve marking indicates maximum thickness of the fixture to be fixed. The diameter thickness of the spacer is efficiently designed to enable heavy sheer loads. Unique all steel Z shape collapse system. Shearing action during tightening of the anchor ensures clamping pressure. Bolt and threaded rod. 8.8 Grade steel for high performance.

Order Code	Diameter x Length (mm)		Max Fixture Thickness mm	Box Quantity
75-550	8	12	20	50
75-551	8	12	35	50
75-552	10	15	20	25
75-553	10	15	35	25
75-554	12	18	25	25
75-555	12	18	45	20



## DYNABOLT PLUS (HEX BOLT)

These Spit Dynabolt M8 thread hex bolt sleeve anchors are suitable for use in concrete, solid block, solid brick and solid stone in such applications as fixings signs, handrails, gates, aerials, shelving, pipework and fencing. Upon tightening, Dynabolts pull down and shorten in length in order to exert clamping pressure on the fixture, making the attachment. These sleeve anchors are through fixings, eliminating the need to mark out and reposition, and come fully assembled.

Order Code	Diameter x Length (mm)		Max Fixture Thickness mm	Box Quantity
75-350	6	45	8	100
75-351	6	70	30	50
75-352	6	95	56	50
75-353	8	55	8	50
75-354	8	80	35	25
75-355	8	105	62	25
75-356	10	59	12	25
75-357	10	75	18	25
75-358	10	105	46	20



## Anchorbolt Fixings

[www.harlfix.co.uk](http://www.harlfix.co.uk)

**Tel: 01563 545 266**  
**txtUs: 07860 021 944**  
**Fax: 01563 545 267**  
**Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)**

**HARLEQUIN**  
 FIXINGS & SEALANTS LTD.



## C-MIX, C-MIX PLUS, POLYESTER INJECTION RESIN


All C-Mix is styrene free and suitable for all base materials with rapid hardening times. Ideal for balustrading, remedial wall ties, fencing and traffic calming systems, extension nozzle available for deep applications.

Order Code	Description
75-605A	C-MIX PLUS 380ml Cartridge
75-601	C-MIX Injection Tool
75-602	C-MIX 160ml Cartridge c/w Nozzle
75-603	C-MIX Application Nozzle
75-605	EPOMAX 380ml Cartridge
75-606	EPOMAX Injection Tool
75-608C	290mm Extension Nozzle



## CHEMSET THREADED ANCHOR STUDS

Chemset Anchor Studs are suitable for use with all types of Chemical Resin. N.B. a full range of accessories is also available including setting tools, mesh sleeves and internally threaded sockets.



Zinc & Yellow Passivated c/ w Hex Bar Setting Tool				
Order Code	Diameter mm	Length mm	Fixing Thickness	Box Quantity
75-620	8	110	18	10
75-621	10	130	25	10
75-622	12	160	34	10
75-623	16	190	45	10
75-624	20	260	55	10
75-625	24	300	55	5
75-626	30	380	55	1

## ST. STEEL A4 316 - Requires Stainless Steel Setting Tool

Order Code	Diameter mm	Length mm	Fixing Thickness	Box Quantity
75-634	8	110	18	10
75-635	10	130	25	10
75-636	12	160	34	10
75-637	16	190	45	10
75-638	20	260	55	10
75-639	24	300	55	5
75-640	30	380	55	1

## SPIT GRIP DROP IN ANCHOR BZP

Shallow embedment depth with guaranteed expansion when using the setting tool. Captive expansion cone prevents it falling out. Fire tested to ISO834 NTFIRE05. Ideal for overhead M & E supports, temporary anchoring of diamond drilling rigs and scaffolding restraints etc.

Order Code	Size	Hole
75-470	M6 BZP	100
75-471	M8 BZP	100
75-472	M10 BZP	100
75-473	M12 BZP	50
75-474	M16 BZP	20
75-475	M6 A4 Stainless Steel	100
75-476	M8 A4 Stainless Steel	100
75-477	M10 A4 Stainless Steel	100
75-478	M12 A4 Stainless Steel	50
75-479	M16 A4 Stainless Steel	25



## MAXIMA METHACRYLATE SPIN-IN GLASS CAPSULES

Versatile anchoring system without expansion pressure allowing 'close to the edge' applications. Can be used in concrete, brick and stone and even installed in wet and damp conditions.

Order Code	Size	Hole Diameter / Depth		Box Quantity
75-610	M8	10	80	10
75-611	M10	12	90	10
75-612	M12	14	110	10
75-613	M16	18	125	10
75-614	M20	25	170	10
75-615	M24	28	210	10
75-616	M30	35	280	5



## DROP IN ANCHOR SETTING TOOL

Order Code	Size
75-480	M6 Spit Grip Setting Tool A4 316
75-481	M8 Spit Grip Setting Tool A4 316
75-482	M10 Spit Grip Setting Tool A4 316
75-483	M12 Spit Grip Setting Tool A4 316
75-484	M16 Spit Grip Setting Tool A4 316



## RESTRAINT STRAPS

30mm x 2.5mm multi-holed straps supplied in 100mm increments.  
 6mm holes at 25mm offset centres.

Available straight, bent or twisted or in combinations as required in both galvanised (LDMH) and stainless steel (SLDMH).

Fix using either no.12 x 50mm BZP wood screws or 75mm x 4.0mm galvanised nails - for stainless straps, stainless fixings must be used.

**Packed in bundles of 20.**



Order Code	Description
69-286F	1000mm x 5mm c/w 100mm Bend
69-286G	1000 x 2.5mm LDMH Galvanised c/w 100mm Bend
69-286I	1000 x 2.5mm SLDMH Stainless Steel c/w 100mm Twist

## JOIST HANGER


A quick and safe method of joist trimming for light medium and heavy applications such as supporting floor joists, trimming stair wells, and underslung joists. They have increased hole centres to spread load over greater area.  
 Fix using 30 x 3.75mm square twist nails in all available nail holes.



Order Code	Description
69-318	50mm Speedy Joist Hanger
69-318A	63mm Speedy Joist Hanger
69-318B	75mm Speedy Joist Hanger
69-318C	100mm Speedy Joist Hanger
69-318D	50mm x 450mm Speedy Joist Hanger
69-318H	63mm x 200mm Timber to Mas. / Metal Joist Hanger

## TRUSS CLIP

Attaches trusses and rafters to wall plates to provide wind restraint. Avoids skew nailing damage and provides positive resistance to wind forces. Safe working load 2.38kN uplift. Fix using 30 x 3.75mm square twist nails in all available nail holes.



Order Code	Description
69-286D	38mm Truss Clips
69-286DA	44mm Truss Clips
69-286E	50mm Truss Clips

## HAND NAIL PLATE


A nail plate system for manual use which enables the construction of timber structures on site to strengthen joints for non-structural applications. Automated production ensures uniform hole positions. Fix plates on each side of the timber joint. Fix using 30 x 3.75mm square twist nails in all available nail holes.



Order Code	Description
69-287A	150mm x 200mm Nail Plate
69-304	150mm x 100mm Nail Plate
69-304A	250mm x 75mm Bat. Nail Plate

## BUTTERFLY WALL STRAPS

Traditional Butterfly Wall Tie previously to BS1243. Twist central is used to prevent moisture travelling across cavity (twist must be placed down the cavity). Accepted as Type A (sound) Previously to BS1243.



Order Code	Description
69-286H	200mm Butterfly Wall Strap

## TIMBER FRAME TIE


Stainless Steel masonry-timber tie for 50-100mm cavities in timber frame buildings. Accommodates vertical movement. Tested as type B (sound) Tested as type 6 (strength) to BS EN 845-1.



Order Code	Description
69-286J	50mm Stainless Steel Timber Frame Ties (Box 250)
69-286K	150mm Stainless Steel Frame Ties
69-286L	130mm Stainless Steel Starter Ties
69-286M	V61 Timber Frame Tie 125mm (Box 250)
69-286MA	V61 Timber Frame Tie 150mm (Box 250)
69-286N	V61 Timber Frame Tie 175mm (Box 250)

## Universal S/S Wall Starter System

The Stainless Steel Wall Starter System joins new walls to existing masonry. Suitable for both internal and external brick or block walls, the connectors can be slotted together up to a maximum of 8 metres or 3 storeys high, from 60 to 250mm thick.



Order Code	Description
69-516	Universal Stainless Steel Wall Starter System



The pack contains the fixings necessary for a single leaf wall up to 2.4m / 8'.  
 2 x Wall connectors 1.2m long, stainless steel  
 5 x Plugs, coach screws and washers  
 10 x Wall connector ties, stainless steel.

**Packed in boxes of 10**

## Power & Lighting

[www.harlfix.co.uk](http://www.harlfix.co.uk)

**Tel: 01563 545 266**  
**txtUs: 07860 021944**  
**Fax: 01563 545 267**  
**Email: [sales@harlfix.co.uk](mailto:sales@harlfix.co.uk)**

**HARLEQUIN**  
**FIXINGS & SEALANTS LTD.**



## GENERATORS

Honda engineered generators are characterised by high performance, low fuel consumption, low noise emission and low maintenance. All engines are of a modern design and comply with the most severe European and American regulations on emissions. Alternators are self regulating, alternating current with superior capacity for peak current during start up and are constructed according to the European regulations in force.



Order Code	Description	Engine	Power	HP
52-002	E3200	GX160	2.8	5.5
52-003	E4000	GX200	3.5	6.5
52-005	E5000	GX270	5.0	9.0
52-006	E6900	GX390	6.5	13.0

**N.B. many other sizes and variations (incl. diesel) available on request.**

## TRANSFORMERS

3.3 kva Twin outlets.  
 Suitable for most power tools.

Order Code	Description
52-008	3.3 KVA
52-016	5.0 KVA



## 110V TWIN OUTLET CABLE REEL

Heavy duty industrial quality. Tested to comply with BSI requirements and CE approved.

Order Code	Description
52-010B	25M 110V Reel



## 25m 240V TWIN OUTLET EXTENSION CABLE

Order Code	Description
52-011A	25M 240V Twin Outlet Extension



## 14m 4-WAY SPLITTER BOX

Order Code	Description
52-014	4-Way Splitter Box



## 14m 110V EXTENSION CABLE


Order Code	Description
52-009	14M 110V Extension



## TRIPOD DOUBLE SITE LIGHT

Excellent illumination from the twin lamps mounted on a sturdy telescopic stand that enables the lamp height to be adjusted. The spread of the tripod feet is adjustable to suit uneven terrain.

Order Code	Description
52-101	Tripod Double Site Light 110V
52-102	Tripod Double Site Light 240V



## MINIPOD BASIC SITE LIGHT

Each lamp is constructed from a die-cast body and is equipped with a metal grille to prevent accidental contact with the hot lens and to protect it against damage. Mounted on a strong tubular steel frame for added stability. A 'tilt and lock' facility, this allows the head to be adjusted to a variety of positions to optimise the powerful light output.

Order Code	Description
52-105	Mini Pod Light 110V
52-106	Mini Pod Light 240V



## BULBS

Order Code	Description
52-025BB	110V Halogen Bulbs (Twin Pack)
52-025C	240V Halogen Bulbs (Twin Pack)
52-027A	60W Bulbs BC Fitting 240v (Box)
52-027B	60W Bulbs ES Fitting 110v (Box)
52-027D	Low Energy Bulb 11W



## SOCKETS & PLUGS

Order Code	Description
52-012	110V Female Socket
52-013	110V Male Plug



## 3-WAY 110v SPLITTER

Order Code	Description
52-013A	3-Way Splitter



**PORTABLE APPLIANCE TESTING NOW AVAILABLE ~ Call our Sales Advisors on 01563 545 266 for details. Testing carried out in-house or at your workplace**



## POLO SHIRT



- Technical polo shirt that is lightweight and breathable
- Keeps you dry by wicking moisture away from the skin
- 100% knitted polyester fabric
- Easy care garment fast drying
- Polyester pique, 150g

Order Code	Description
46-600	Dry Max Polo Shirt

## SWEATSHIRT



- Made from hard wearing 65% Polyester 35% Cotton
- Reinforced arm pads
- Double layered hood
- Adjustable corded hood
- Front pouch pockets
- Rib details to hem and cuffs

Order Code	Description
46-601	Black Hooded Sweatshirt
46-602	Grey Hooded Sweatshirt

## INDUSTRY TROUSERS



- 260g Poly Cotton work/drivers trouser
- Bottom loading knee pad pockets
- Hammer loop and Ruler pocket
- Button fastening pockets on rear
- Available in 31" and 33" leg
- 65% Polyester, 35% Cotton

Order Code	Description
46-605	Black Industry Trousers
46-605	Navy Industry Trousers

## APPRO TWILL TROUSERS



- Lightweight twill trouser with Cordura reinforcing that offers superb value
- Cordura nail pockets, knee pad pouches and reinforced hem
- Triple stitching in key areas make this a "bombproof" pair of work trousers
- Cordura tool pockets on both thighs and two large rear pockets
- Extra sizing

options at the extremes of the sizing range. With the 28"S trouser featuring an extra 2" hem and all 33" trousers also featuring an extra 2" to the hem

Order Code	Description
46-609	Appro-Twill Trousers

## HOLSTER TROUSERS



- 65% Polyester, 35% Cotton 300g Poly Cotton work trouser with a modern low cut waist and comfort leg fitment, reinforced with Cordura on knees and holster pockets
- Top loading Velcro fastening reinforced knee pad pockets
- Two tuck away holster pockets with Cordura
- Phone, pen and large utility Pocket
- 2 Large bellowed pockets at the rear with press stud fasteners
- Cordura reinforced hem
- Available in 29", 31", 33" leg

Order Code	Description
46-606	Black Holster Trousers
46-607	Grey/Black Holster Trousers

## SOFT SHELL JACKET



- Micro fleece lined
- Velcro adjustable cuffs
- Draw cord waist
- Water repellent breathable soft shell jacket
- 94% Polyester and 6% Spandex for comfort and stretch
- Zipped pockets

Order Code	Description
46-603	Soft Shell Jacket

## WATERPROOF JACKET



- Lightweight yet incredibly warm fleece lined work jacket for all seasons
- Highly water repellent PU coated jacket with storm flap zip and removable hood
- Taped zips on pockets
- Two tone with reflective piping
- Draw cord waist
- Low backed for maximum protection from the elements
- Large internal receipt book pocket

Order Code	Description
46-604	Waterproof Work Jacket




**POLO SHIRT**
**DEWALT**


- Black / grey, double knit breathable fabric, 195g/m<sup>2</sup>. Vented hem, anti-static, non-linting fabric and colour retention.
- Cotton Feel Brushed Polyester
- CoolPlus & Anti-Pill Fabric
- Knitted Collar
- High Wicking for Moisture Reduction
- Generous Style & Fit

Order Code	Description
46-500	Dewalt Performa Polo Shirt

**HOODED SWEATSHIRT**
**DEWALT**


- Black/Grey hooded sweatshirt
- Full length zip
- Fixed draw string to the hood
- Twin front deep pockets.

Order Code	Description
46-501	Dewalt Hooded Sweatshirt

**THERMAL FLEECE**
**DEWALT**


- Full water, oil and dirt resistant
- Rip-Stop Nylon to shoulders, side and cuffs
- Interactive and will zip in to the Goretex3 in 1 Jacket
- Bound hems and cuffs for extra wear

Order Code	Description
46-506	Dewalt Thermal Fleece

**SOFT SHELL JACKET**
**DEWALT**


- Water and wind resistant soft shell fleece with thermal properties
- Reflective tape, welded zip chest pocket with longer back and adjustable hem
- 100d\*40d Polyester Bonded Micro Fleece
- 8000mm Water Proof
- 3000 Breathability

Order Code	Description
46-504	Dewalt Soft Shell Jacket

**WATERPROOF SITE JACKET**
**DEWALT**


- Fleece lined collar with integrated hood
- Two way full length YKK zip
- Taped seams
- Storm channel on front zip cover
- Waist / wrist adjusters
- Nylon linings to arms for ease of entry
- Articulated seams on sleeves
- Internal mobile pocket
- Longer back

Order Code	Description
46-505	Dewalt Waterproof Site Jacket

**WORK TROUSERS**
**DEWALT**


- Low rise work trousers, triple stitched in key areas with Cordura holster and knee pockets
- Multi pocket combat pockets and extra wide mobile pocket with the rear pockets and hem being Cordura tipped
- 265gm poly/cotton
- 65% polyester 35% cotton

Order Code	Description
46-508	Dewalt Black Work Trousers
46-509	Dewalt Grey/Black Work Trousers

**SOCKS**


Boot socks with a heel and toe shaping for a better fit, and smooth toe seam for use with safety footwear.  
 42% wool, 42% acrylic, 15% nylon and 1% lycra

**KNEE PADS**


- Ergonomic knee pads designed for optimal fit and comfort
- Fit Apache Industry and Holster trousers
- 100% Polyethylene

**WORK BELT**


- Black polyester belt with Apache branded nickel buckle
- One size fits all design

**BEANIE HAT**


- One size fits all
- Warm black beanie hat made from 100% Acrylic

Order Code	Description
46-150	Apache Worksite Socks, 3 Pack
46-015N	Apache Knee Pads for Multi Pocket Trousers
46-608	Apache Black Polyester Work Belt
46-005J	Apache Black Beanie Hat



## SAFETY WELLINGTON



- Acifort full safety
- 100% Waterproof
- Various chemical resistant
- Oil resistant outsole
- Midsole
- PVC/Nitrile Rubber

Order Code	Description
46-100	Safety Wellingtons

## RIGGER BOOTS



- Dual density PU
- 200 Joule steel toe cap and midsole
- Shock absorber heel
- Anti-slip and anti-static sole
- Resistant to oil, acid and alkali
- Leather upper & Fur lining
- Scuffcap

Order Code	Description
46-103	Lined Rigger Boots

## RIGGER BOOTS



- Brown full grained leather upper
- Ankle padded & heel kick region
- Scuff trim
- Steel toe cap and mid-sole
- PUR sole
- Chemical & oil resistant sole
- Shock absorption

Order Code	Description
46-103J	Premium Brown Leather Rigger Boots

## PREMIUM RIGGER BOOTS



- Apollo leather upper
- 200 Joule steel toe cap & midsole
- Padded ankle, fur lining
- Shock absorber heel
- TPU structured heel support
- Anti-slip and anti-static sole
- Sole resistant to oil, acid & alkali
- Conforms to EN345 S1P

Order Code	Description
46-101H	Premium Brown Leather Rigger Boots

## LASER SAFETY BOOT



- Black Nu-buck upper
- Anti bacterial in-sole with dual density seat region for shock absorption
- 200 Joule steel toe cap
- Steel mid sole
- TPU sole resistant to 120°C
- Chemical & Oil resistant sole

Order Code	Description
46-515	Dewalt Laser Safety Boots

## APPRENTICE BOOT



- Providing underfoot protection as well as steel-toe cap protection.
- Premium Nubuck and Full Grain Leather Uppers
- Rubber Outsole, EVA Midsole
- Heat resistant, Hard wearing and Lightweight
- Rust and corrosion resistant
- Comfortable with odour reducing properties.

Order Code	Description
46-516	Dewalt Apprentice Boot

## HIKER BOOTS



- Nubuck water resistant flexi hiker
- Steel toe cap & comp. mid-sole
- Padded collar and tongue
- EVA rubber sole unit
- Chemical & Oil resistant sole
- Shock absorption sole
- Anti Static

Order Code	Description
46-111	Apache Brown Nubuck Hiker Boots
46-111D	Apache Wheat Nubuck Hiker Boots

## HIKER BOOT



- 200 joule steel toe cap and steel midsole
- Shock absorber heel
- Anti-slip and anti-static
- Dual density PU/TPU sole resistant to oil, acids & alkalis
- Water resistant leather upper
- Waterproof and breathable lining
- Conforms to EN ISO 20345:2004/ A1:2007 S3 SRA

Order Code	Description
46-105	Black Leather Hiker Boot

## SAFETY TRAINER



- Steel toe cap and mid-sole
- Padded collar and tongue
- Rubber sole
- Chemical & Oil resistant sole
- Shock absorption

Order Code	Description
46-106	Black Safety Trainers
46-107	White Safety Trainers
46-108	Black Mesh Safety Trainers

## ALL TERRAIN BOOT



- Black Grey water resistant safety boot with bump cap
- Deep padded collar & tongue
- Steel toe cap and mid-sole
- PU dual density sole
- Chemical & Oil resistant sole
- Shock absorption sole
- Anti Static

Order Code	Description
46-109	All Terrain Safety Boots

## SLIP ON BOOT



- Brown leather upper
- Twin loops for easy access
- Water resistant upper
- Steel toe cap and mid-sole
- TPU Sole
- Chemical & Oil resistant sole
- Shock absorption

Order Code	Description
46-112	Apache

## CHUKKA SAFETY BOOT



- 4 D-ring boot
- Dual density PU
- 200 Joule steel toe cap & midsole
- Shock absorber heel
- Anti-slip and anti-static
- Sole resistant to oil, acids and alkalis
- Leather upper
- Conforms to EN ISO 20345:2004 S1P

Order Code	Description
46-104	Chukka Safety Boot



## 16" OVERSHOES



- High Quality
- Elasticated for extra grip around shoes
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and floors

Order Code	Description
46-004Z	Disposable Overshoes

## STANDARD RIGGER GLOVES



- Std. Rigger Gloves
- Chrome leather palm finger tips and knuckle strip
- Cotton drill back
- For minimal risk use only

Order Code	Description
46-000	Standard Rigger

## PREMIUM RIGGER GLOVES



- Grey split leather B-Flex Rigger with heavyweight red cotton backing and safety cuff
- Good fitting large size with fleecy lined palm and thumb-face for added comfort
- Conform to cat II EN388 4144

Order Code	Description
46-000A	Canadian Rigger Gloves

## YELLOW CRISS CROSS



- Yellow knitted base
- Latex criss cross coating
- Multi purpose glove offering excellent grip

Order Code	Description
46-000B	Yellow Criss Cross

## RED PVC GLOVES



- Fully coated pvc glove
- Stockinette liner
- Elasticated cuff

Order Code	Description
46-000C	Red PVC Gloves

## GOLDEN GRIP GLOVES



- Multi-purpose glove
- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort

Order Code	Description
46-000D	Click Superior Golden Grip Gloves

## BUILDERS GLOVES



- Economy multi-purpose glove
- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort

Order Code	Description
46-000EA	Click Builders Gloves Orange

## PU COATED GLOVES



- Nylon Glove
- Polyurethane palm coated

Order Code	Description
46-000G	Grey PU Coated Gloves

## NITE STAR GLOVES



- 100% Nylon seamless shell with nitrile coated palm and fingers
- Ventilated back.
- Lightweight for maximum dexterity & comfort with sensitivity
- Suitable for general assembly handling and engineering applications
- Conforms to EN388 3.1.2.1

Order Code	Description
46-000GK	Nite Star Glove

## LATEX GLOVES



- Conforms to Department of Health Standard

Order Code	Description
46-000J	Latex Gloves (Packet 100)

## NITRILE DISPOSABLE



- Powder Free Nitrile Gloves
- High quality disposable product
- Liquid proof
- Ideal for general lightweight handling including foodstuffs

Order Code	Description
46-000JC	Nitrile Disposable Gloves

## KNITWRIST



- Lightweight coated glove offering flexibility/dexterity and the comfort of natural cotton with the protection of Nitrile
- Resists abrasion, cuts and punctures for general purpose handling in many industrial sectors.
- Cat II EN388 2111

Order Code	Description
46-000K	Knitwrist Fully Coated



## WELDING GAUNTLETS



- Heat Resistant
- Cat II welders

## NITRILE FULLY COATED GLOVES



- Heavy duty coated glove offering excellent protection in the more aggressive industrial applications
- The soft jersey liner keeps the hand comfortable while the rugged Nitrile coating resists puncture cuts and abrasions
- Cat II EN388 4221

## ANTI CUT GLOVES



- Seamless knitted glove
- Offering high levels of cut, abrasion and tear resistance.
- For those high risk applications where dexterity and comfort are paramount.
- CE Score 4.5.4.3
- Conforms to EN388

## COLDSTAR GLOVES



- Mixed fibre heavyweight knitted base with Latex coating to palm area
- Vented back
- Highly visible fleece liner.
- Ideal for winter conditions.
- Thick latex coating for durability and grip.
- Conforms to EN388 1.2.4.1

Order Code	Description
46-000L	Red Welding Gauntlets

Order Code	Description
46-000N	Nitrile Fully Coated Knit Wrist Gloves

Order Code	Description
46-000S	Kutstop Nitrile Coated Glove

Order Code	Description
46-000U	Coldstar Gloves

## ROUTER SMOKE SAFETY SPECS



- Lightweight
- Fully wraparound smoke polycarbonate anti-scratch lenses
- Anti-fog coating
- 99.9% UVA & UVB protection
- Low energy impact resistance
- Conform to EN1661F

## REINFORCER CLEAR SAFETY SPECS



- Soft, rubber nosepiece
- Handgrip pattern on temple
- Cushioned rubber temple pads
- Polycarbonate anti-scratch lens
- Distortion free lens
- Anti-fog coating
- 99.9% UVA & UVB protection
- Low energy impact resistance
- Conform to EN1661F

## VERONA SAFETY SPECS



- Lightweight frameless design protective eyewear
- Single piece clear lens
- Straight temple
- Clear rubber nose pad & blue temple tips for added comfort
- EN166 - 1FT
- ANSI - Z87

## NEVADA SAFETY SPECS



- Ultra light weight.
- 10 Curve Single Poly Carbonate Lens Spectacle
- Scratch Resistant Lens
- Fully Adjustable Side Arms with Temple Ratchet
- Ultra Soft Nose bridge
- Adjustable Neck Cord
- Conforms to EN166 1.F. and

Order Code	Description
46-512	DeWalt Router Smoke Safety Specs

Order Code	Description
46-512A	DeWalt Reinforcer Clear Safety Specs

Order Code	Description
46-0002C	Verona Safety Specs

Order Code	Description
46-0002D	Nevada Safety Specs

## BOSTON OVER SPECS



- Wraparound clear visitors spectacle
- Polycarbonate lens
- Ventilated side arms
- Width 157mm
- Conforms to EN166 & ANSI Z87.1

## ANTI MIST GOGGLES



- Anti-mist safety goggle
- Polycarbonate lens
- Direct vent
- Soft pvc frame
- Fits over most prescription glasses
- Adjustable strap
- EN166 - 4 9 BT & ANSI - Z87

## COMFORT FIT GOGGLES



- Wide vision goggle
- Anti fog clear lens
- Blue tint pvc frame
- Wrap around style provides excellent panoramic vision
- Foam surround for extra comfort and improved seal
- Adjustable strap
- EN166 - 3 4 9 BT

## 4 PIECE SAFETY KIT



- Builders Gloves
- General purpose goggles
- Ear plugs
- P2 Valved Masks

Order Code	Description
46-002D0	Boston Over Specs

Order Code	Description
46-002E	Anti Mist Goggles

Order Code	Description
46-002F	Comfort Fit Goggles

Order Code	Description
46-004	4 Piece Safety Kit



## EAR PLUGS



- Ear Plugs Disposable
- Tested by Inspec in accordance with EN352-2:1993
- Found to be in conformity with council directive
- 89/686/EEC relating to PPE

## EAR PLUGS with CORD



- Blue Corded Foam Detectable Earplugs
- With detectable brass metal safety component
- Tested by Inspec in accordance with EN352-2:1993
- Conforms with council directive
- 89/686/EEC relating to PPE

## EAR DEFENDERS



- Economy Ear Defender
- Lightweight robust design
- Adjustable headband
- Conforms to EN352. (SNR27)

## PREMIUM EAR DEFENDERS



- Premium foldable ear defender
- Extremely comfortable with extra large foam pads
- Padded adjustable headband allows easy fitting
- Good attenuation performance
- Conforms to EN352-1:2002

Order Code	Description
46-003D	Disposable Ear Plugs (Box 200)

Order Code	Description
46-003E	Corded Ear Plugs

Order Code	Description
46-003	Ear Defenders

Order Code	Description
46-003A	Premium Ear Defenders

## HELMET EAR MUFFS



- Universal 30mm attachment posts
- Maintains optimum and even cushion pressure
- Twin stirrup design maintains stability
- Airing and park positions
- Low profile, reduces snagging risk
- Lightweight design
- Simple head size adjustment

## SAFETY HELMET



- Stylish and comfortable
- Weighs just 310 grams
- Manufactured from high-density polyethylene
- Eight point plastic head gear
- Well balanced when worn, maximising both comfort and protection for the wearer
- Available in 6 colours

## PREMIUM SAFETY HELMET



- Modern, stylish and lightweight
- ABS Shell
- Vents to crown
- Lightweight
- 6 point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Complete with terry towelling sweatband

## FORESTRY HELMET



- Safety Helmet with set of Clip-on Ear Defenders (SNR 23), Chin Strap and Mesh Face Shield with Mount
- Suitable for Forestry, Strimming, Agricultural and Chainsaw use
- Conforms to EN397, EN352-3, EN166, EN1731

Order Code	Description
46-003H	Zone 2 Helmet Mounted Muff Set

Order Code	Description
46-005	Premium Safety Helmet

Order Code	Description
46-005GG	Vented Premium Safety Helmet

Order Code	Description
46-005Q	Forestry Helmet

## SAFETY HELMET



- Innovative design
- Integral spectacle
- Unique ventilation
- Hearing protection interface
- Comfortable and well balanced
- VDE approved to 1000 Vac
- CE Certified to EN397

## COMFORT MASKS



Fiberglass free, odourless, low breathing resistance and non-irritating to the skin. Soft flexible

nosepiece permits individual facial adjustment. Suitable for workshop, pollen, sweeping, gardening, farm work, cleaning & protection against other non-toxic airborne dusts.

## P2 VALVED MASK



Polypropylene outer layer provides smooth lining and avoids loose fibres. Embossed fringe seal

avoids fluffy open layers around the edges. Latex free synthetic rubber head strap. Contour design ensures the compatibility of glasses / goggles and reduces fogging. For Hazard Type: Toxic dusts, fumes and water-based mists.

## P3 VALVED MASK



Unique "Big Eye" design provides very low breathing resistance due to the increased

filtration area. Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres. Embossed fringe seal avoids fluffy open layers around the edges. Adjustable head strap ensures the best facial seal with minimum leakage. Contour design ensures the compatibility of glasses / goggles and reduces fogging.

Order Code	Description
46-005K	Safety Helmet with Visor

Order Code	Description
46-001	Comfort Masks (Box 50)

Order Code	Description
46-001A	P2 Valved Masks (Box 10)

Order Code	Description
46-001D	P3 Valved Masks (Box 5)





## HIVIS WAISTCOAT



- EN533 fire retardant
- EN471 Class 2
- Must be worn over EN533 index 2 or 3 garments
- Do not wear next to skin
- Zip Fastening, reflective Material

Order Code	Description
46-020	Yellow HIVIS Waistcoat

## HIVIS WAISTCOAT



- EN533 fire retardant
- EN471 Class 2
- Must be worn over EN533 index 2 or 3 garments
- Do not wear next to skin
- Zip Fastening, reflective Material

Order Code	Description
46-020G	Orange HIVIS Waistcoat

## HIVIS POLO SHIRT



- EN471 class 2
- 100% Polyester
- 3 button placket
- Reflective tape
- Grey trim on collar and sleeve cuffs

Order Code	Description
46-022A	Yellow HIVIS Polo

## HIVIS POLO SHIRT



- EN471 class 2
- 100% Polyester
- 3 button placket
- Reflective tape
- Grey trim on collar and sleeve cuffs

Order Code	Description
46-022E	Orange HIVIS Polo

## HIVIS TSHIRT



- EN471 class 2
- 100% bird eye polyester fabric 180gsm
- Left Breast Pocket
- 2 band & brace
- 3M<sup>®</sup> Scotchlite tape

Order Code	Description
46-023	Hi-Vis Crew Neck T-Shirt

## HOODED SWEATSHIRT



- EN471 class 3
- 280gsm fleece fabric
- 100% polyester
- 2 band & brace
- 3M<sup>®</sup> Scotchlite tape

Order Code	Description
46-021G	Hi-Vis Hooded Sweatshirt

## ZIPPED SWEATSHIRT



- EN471 class 3
- 280gsm fleece fabric
- Zip front
- Anti pill
- 2 band & brace
- 3M<sup>®</sup> Scotchlite tape

Order Code	Description
46-013N	Hi-Vis Zipped Sweatshirt

## PREMIUM 7 in 1 JACKET



Breathable outer shell. Removable hood. External phone pocket. D-rings for attaching identity tags. Fleece lined collar on outer garment. Velcro adjustable cuffs. Hand warmer pockets. Inner jacket zipout sleeves. Reflective tape. Detachable Bodywarmer.

Order Code	Description
46-0116P	Yellow 7 in 1
46-0116PQ	Orange 7 in 1

## 4 IN 1 TRAFFIC JACKET & BODYWARMER



- Knitted stom cuffs
- Fully taped seams
- Reflective Material

Inner Bodywarmer:

- EN471 Class 2
- PU coating to hi-vis side
- Reversible bodywarmer 'zipout'
- Knitted collar.
- Heavy duty zip
- Navy polycotton diamond quilt on reverse.
- 2 patch pockets on quilted side
- Fully taped seams

Outer Jacket:

- EN471 Class 3
- Heavyweight PU coated polyester
- Nylon lining
- Concealed hood
- Two-way heavy weight zip with storm flap
- 2 Lower hip pockets with flaps

Order Code	Description
46-016PS	HiVis 4-1 Traffic Jacket & Bodywarmer

## CARNOUSTIE FLEECE



- High density 300gm polyester fabric
- Fully EN471 compliant
- GO/RT 3279
- 3M reflective tape
- Drawcord at hip
- Fully interchangeable with Carnoustie Jacket

Order Code	Description
46-013R	Carnoustie Fleece

## CARNOUSTIE JACKET



Interactive Breathable Jacket with detachable hood

- EN471 Class 3 & GO/RT 3279.
- 100% polyester with PU coating
- Concealed hood & Mesh lining

- Two-way heavy duty zip front, double storm flap
- 2 lower zippered hip pockets
- Zipped breast pockets with flap
- Velcro and elasticated cuffs
- Drawcord at hip
- Reflective material

Order Code	Description
46-016T	Carnoustie Jacket



## HIVIS TRAFFIC TROUSERS



- EN471 Class 1
- Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs
- 2 Side pockets with storm flaps
- Fully taped seams
- Reflective Material

## HIVIS WORK TROUSERS



- Polycotton trousers, to EN471 Class 1
- Seven belt loop waistband
- Heavy weight brass zip fly
- 2 hip pockets, 1 rear jetted pocket
- Left leg multi feature cargo & rule pocket
- Hard wearing and durable with Teflon coating to aid soil release when washing

## SUPER BDRI TROUSERS



- Polyester with PU coating
- Overtrousers with elasticated waist
- Studded ankles
- Stitched and welded seams

## SUPER BDRI JACKET



- Polyester with PU coating
- Concealed hood
- Full zip front with storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched & welded seams

Order Code	Description
46-015E	Hivis Traffic Trousers

Order Code	Description
46-015Q	Hivis Work Trousers

Order Code	Description
46-015H	Yellow Super BDri Trousers
46-015HD	Navy Super BDri Trousers

Order Code	Description
46-016F	Yellow Super BDri Jacket
46-016FD	Navy Super BDri Jacket

## COVERALLS



- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated wind cuffs
- Studded ankles
- Stitched and

## BOILERSUIT



- Poly Cotton
- Concealed 2-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, 1 with velcro fastening
- 1 rule pocket

## QUILTED BOILERSUIT



- 190gm Nylon Lining with 100% Polyester Fill
- Poly Cotton
- Concealed two way zip front
- 2 breast pockets
- Reinforced elasticated waist
- 2 swing hip pockets with side access
- 2 rear pockets one with velcro flap
- 1 rule pocket

## BIB & BRACE



- Pre-shrunk cotton drill
- Concealed button fly
- Bib pocket and pouch pocket
- 2 swing hip pockets with side access
- 1 rear pocket
- 1 rule pocket
- Braces with clips

Order Code	Description
46-016G	Super BDri Yellow Coverall
46-016GA	Super BDri Navy Coverall

Order Code	Description
46-014E	Super Click Boilersuit

Order Code	Description
46-014E	Super Click Boilersuit

Order Code	Description
46-014L	White Cotton Drill Bib and Brace

## BIB & BRACE



- Polyester with PU coating
- Adjustable elasticated braces with quick release buckles
- Internal bib pocket with zipped entry
- Waist expansion
- 25cm zips at ankles with Velcro tab
- Stitched/welded seams
- Conforms to EN343
- Also in Saturn Yellow and Olive

## FIRE RETARDANT



- 300g 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- Left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'HPS' logo to upper left sleeve

## HIVIS BOILERSUIT



welded seams

- EN471 Class 3
- Breathable fabric
- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap
- Elasticated storm cuffs
- Studded ankles
- Stitched and

## DISPOSABLE BOILERSUIT



- Non woven polypropylene 50gm/ M2 disposable boilersuit
- Elasticated hood
- Elasticated waistband and ankles
- No.3 nylon spiral one-way zip front opening
- Available in Navy, Red or White

Order Code	Description
46-014LA	Bib & Brace Boilersuit

Order Code	Description
46-014N	Fire Retardant Boilersuit

Order Code	Description
46-014P	Saturn Yellow Hivis Boilersuit

Order Code	Description
46-014Z	Disposable Boilersuit

## GENERAL PURPOSE SILICONE

This contractors sealant is an economy grade acetoxy curing silicone which provides a permanently water tight flexible seal and offers excellent adhesive properties, making it suitable for use on glass, aluminium, painted surfaces, sanitary ware, ceramics and non-porous surfaces. Suitable for sealing around door and window frames, sealing glass to glass and glass to aluminium, sealing around pipes and sanitary fixtures and sealing duct work. Draft proofing casement windows and doors.



Order Code	Description
35-006	White
35-007	Clear
35-008	Brown
35-009	Black
35-010	Grey

## 200 CONTRACTORS LMA SILICONE

Contract grade acetoxy cure silicone. Suitable for general glazing, weatherproofing, sanitary and gap sealing applications. Quick curing, mould resistant. Conforms to BS5889 (except clause 9). Sold in 295ml cartridges.



Order Code	Description
35-003	Clear
35-004	White
35-005	Brown
35-005A	Black

## 225 INDUSTRIAL & GLAZING SILICONE

225 Industrial & Glazing Silicone is a high modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates.

Typically used for single glazing, draught-proofing and general industrial use.



Order Code	Description
35-100A	Clear
35-101	White
35-102	Black
35-103	Brushed Steel

## 450 BUILDERS SILICONE

450 Builders Silicone is a premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous.

Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Conforms to ISO 11600 class: F 25LM.



Order Code	Description
35-111	Oak
35-111A	Clear
35-111B	White
35-112	Grey
35-112A	Brown
35-113	Black
35-114	Buff

## SILICONE 825

**SILICONE 825** is a low modulus, neutral curing Silicone sealant based on an filled alkoxy curing system. Specially formulated to provide extra tool down time on longer joints. Conforms to ISO11600 class F 25 LM when tested to ISO9047. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames, weatherproofing sealing to most external applications, construction and dilation joints where stress does not occur until fully cured.



Order Code	Description
35-124	Anthracite
35-125	Mid Grey
35-125A	White
35-125B	Brown
35-125C	Black
35-125D	Buff
35-125E	Limestone White
35-125F	Magnolia
35-125G	Portland Stone
35-125H	Dark Grey
35-125I	Beige
35-125J	Brick Red

## FOREVER WHITE

Forever White is a superior silicone sealant that is permanently waterproof and flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. Ideal for use in kitchens and utility rooms and for sealing around window and door frames. With Microban the worlds leading branded anti-bacterial solution integrated into the manufacturing process, Forever White is guaranteed to stop black mould growth for 10 years. Also contains an Anti-Bacterial additive which kills germs - E-Coli, MRSA and Salmonella.



Order Code	Description
35-118	Forever White
35-119	Forever Clear

## 500 BATH & SANITARY SILICONE

500 Bath & Sanitary Silicone is a premium quality high modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to prevent mould and fungal growth. Typically used in areas of high humidity, such as bathrooms, toilets, showers and kitchens in both commercial and domestic applications. Tested to ISO 8339 and ISO 10590/10563.




Order Code	Description
35-116A	Clear
35-117	White
35-117D	Sandstone
35-117E	Ivory
35-117F	Grey



## 125 ONE HOUR CAULK

125 One Hour Caulk is a fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper; no sanding down required.

Order Code	Description
35-121A	White
35-122	Brown
35-123	Magnolia



## G.P. BUILDING MASTIC

A Traditional Oil Based Pointing Mastic that provides and effective weatherproof seal. Typically used to seal sectional panels and low movement vertical building joints. Sold in C3 cartridges.

Order Code	Description
35-137	White
35-138	Grey
35-140	Brown
35-139	Stone



## STIXALL

Based upon new Hybrid PMS Polymer technology is the ultimate combined building adhesive and sealant, with the power to both bond and seal virtually everything to anything. Water resistant, can be applied to wet surfaces.

Order Code	Description
35-109C	White
35-109CA	Clear
35-109CB	Grey
35-109CC	Black
35-109CD	Brown



## CT1 SEALANT & ADHESIVE

CT1 will successfully bond Metals (including lead), Glass, Mirrors, Wood and Polystyrene. For all applications, including bathrooms and general building maintenance. As a universal adhesive CT1 bonds to most surfaces and does not attack synthetic material. On mirrors (vertical strips), on natural stone (does not bleed through), polyester, polystyrene foam, wet surfaces, even under water. Repaintable with all common paints.

Order Code	Description
35-350	White
35-351	Clear
35-352	Grey
35-353	Black
35-354	Brown
35-355	Beige
35-356	Oak



## PINKGRIP

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Can be used inside and outside and adheres to just about every building substrate.

Order Code	Description
35-109B	Pink Grip Adhesive



## CT1 POWER GRAB 'n' BOND

Power Grab n Bond is a revolutionary product in the field of heavy duty versatile bonding. The density of Power Grab n Bond is far greater allowing phenomenal results in initial grab. Coupled with the rapid curing will in the majority of applications reduce labour time by at least 50%. Power Grab n Bond has a capacity to adhere to endless materials such as stone, granite, tarmac, marble, concrete, all metals (including alloys), polystyrene and most plastics.

Order Code	Description
35-000	CT1 Power Grab 'n' Bond



## GRIPITTE ADHESIVE

Griptite is the new extra-tough high grab construction adhesive that combines great performance with 'easyflow' gunability. Guaranteed to take the trade by storm, this high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications.

Order Code	Description
35-109G	Griptite Construction Adhesive



## CT1 MULTI-PURPOSE SOLVENT

MultiSolve is a complete new multi-purpose solvent; for the safe removal of adhesives and sealants. Just spray onto the desired surface then within seconds it gets to work leaving the surface ready for treatment. Removes adhesives, sealants, oil, grease, silicon, wax, tar, paraffin, printing ink etc., without leaving any oil film.

Order Code	Description
35-357	CT1 Multisolve



## INSTANT NAILS

Instant Nails is a high strength solvent free gap filling multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.

Order	Description
35-109D	Instant Nails Solvent Free



## LEAD SHEET SEALANT

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete. It provides a fully waterproof joint that will not crack or shrink. Sold in 310 ml Cartridges.

Order Code	Description
35-141	Grey



## ROOF & GUTTER SEALANT

Roof & Gutter Sealant is a premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood. Sold in 310ml cartridges



Order Code	Description
35-181	Black

## FIRE MATE

Fire Mate Sealant is an intumescent acrylic sealant that swells when exposed to temperatures in excess of 125 °C to prevent the passage of fire and smoke and has a fire rating of up to 4 hours in certain joint configurations. Fire rated to BS 476 Part 20/EN1366-4 (2006). Acoustic rates to BS EN ISO 140/3. Tested for air permeability to EN13141-1.



Order Code	Description
35-144a	White Fire Mate Sealant

## GALVAMATE

Galva Mate Sealant is a high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems.



Order Code	Description
35-143	Grey

## SX POLYSULPHIDE SEALANT

A One Part Polysulphide Sealant designed to seal joints subject to movement where a tough, flexible, watertight seal is required. Ideal for pointing and glazing. Sold in 400ml cartridges.



Order Code	Description
35-126	White
35-127	Grey
35-128	Brown
35-129	Black
35-130	Buff

## SKELETON GUN

Trade Quality Sealant Gun for the application of silicone, mastic etc.



Order Code	Description
35-271	310ml Sealant Gun
35-272	400ml Sealant Gun
35-279	400ml Power Pro Sealant Gun

## PINKGRIP DRYFIX GUN GRADE

A revolutionary new type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams. The foam expands very minimally on application but enough to fill any gaps on uneven surfaces.



Order Code	Description
35-153A	Pinkgrip Dryfix Gun Grade

## DRYFIX APPLICATOR GUN

Applicator gun for use with Pinkgrip drywall adhesive. Easy flow applicator with on and off switch. Easy to use trigger to control the flow of adhesive. Can be cleaned with Everbuild Solvent Gun Cleaner.



Order Code	Description
35-153B	Pinkgrip Dryfix Applicator Gun

## EXPANDING FOAM

**Expanding Foam** is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens. **SPIT Universal Foam Cleaner Gun Grade:** Solvent designed for removing uncured polyurethane foams or adhesives. Useful for the cleaning of can valves and PU-foam gun applicators. Suitable for removing uncured foam residue. Excellent for degreasing metal surfaces before application of silicones and polyurethane.



Order Code	Description
35-145	Everbuild Hand Held Foam 750ml
35-146	Everbuild Gun Grade Foam 750ml
35-148	Spit Gun Foam Cleaner 500ml

## FIRE RATED EXPANDING FOAM

**Firefoam B2** is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations.

**Firefoam B1** is a quick-setting fire rated, one part polyurethane foam. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approximately one hour.

*All the above expand on application to up to 50 times the can contents and meet the requirements of the test criteria for BS 476 Part 20; Class B1 and Part 20.*



Order Code	Description
35-145A	Everbuild B2 Fire Foam Hand Held
35-146A	Everbuild B2 Fire Foam Gun Grade
35-146B	Everbuild B1 Fire Foam Hand Held
35-146C	Everbuild B1 Fire Foam Gun Grade

## FOAM APPLICATOR GUNS

P65	P45	P75

Order Code	Description
35-149A	Contractors Foam Gun P45
35-150	Heavy Duty Foam Gun P65
35-150A	Heavy Duty Bendy Foam Gun P75



## MITRE FAST BONDING SYSTEM

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Also suitable for bonding of MDF, rubber, PVCu, metals etc.

Order Code	Description
35-189	Mitre Fast Jumbo Kit



## PVA WOOD GLUE

Easy to use Water Resistant Glue. Bonds wood together to form a permanent & inseparable joint. Conforms to the requirements of category D3/3 and D3/4 of the European standard EN204. Ideal for general woodworking & joinery.

Order Code	Description
35-153	1 Litre Glue
35-155	5 Litre Glue



## PVA BONDING AGENT

A quick adhesive, sealer, bonding agent and cement admixture. For bonding wood, wood veneers, plaster board, concrete, polystyrene, carpet and many other materials. Cement rendering and plaster can be bonded to sound surfaces without the need for hacking back. PVA is generally used on porous surfaces to seal and promote paint adhesion. PVA is water based, non toxic and non flammable.

Order Code	Description
35-195	PVA Bond 5L



## CONTACT ADHESIVE & CLEANER

**Stick 2 All Purpose Contact Adhesive** is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials. **Stick 2 Contact Adhesive Thinner & Cleaner** is a highly aggressive solvent, specially blended for both thinning All Purpose Contact Adhesive and for cleaning up excess adhesive after application. Works on either wet or dry adhesive.

Order Code	Description
35-169	Stick 2 Contact Adhesive 750L
35-173	Contact Adhesive Thinner & Cleaner 1 Litre



## SUPERGLUE

An Ethyl Cyanoacrylate based Adhesive which has been developed for the bonding of rubbers & plastics such as PVCu.

Order Code	Description
35-191	Superglue - 20g Tube



## WOOD FILLER

An all purpose two component polyester wood filler that provides a tough long lasting repair to all woods. Can be stained painted, varnished or dyed, even with microporous stains. The filler has exceptional strength and flexibility and may be drilled, nailed, planed or carved once dry.

Waterproof and suitable for exterior as well as interior applications.

Order Code	Description
35-936	Pine Wood Filler 500g
35-936A	Mahogany Wood Filler 500g



## ULTRA LIGHT FILLER

A Non Shrinking Ready to use Ultralight Filling Paste. After curing this product is sandable and paintable with most paints. Ideal for filling large holes and gaps in static joints in one go. Can be used on concrete, brickwork, plasterboard and wood.

Order Code	Description
35-178	Ultra Light Filler- 500ml



## GLASS CLEANER

Fast acting, all-purpose glass cleaner with a non-smear formula. Also excellent for cleaning mirrors. Trigger spray for easy application.

Order Code	Description
35-182	Glass Cleaner - 1 Litre



## PVCu CLEANER

Fast-acting, solvent based cleaner for uPVC frames, cladding and trims. Effectively removes ingrained dirt and restores surface colour without leaving a residue.

Order Code	Description
35-186	PVCu Cleaner—1 Litre



## GLASS PROTECTOR

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages, and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.

Order Code	Description
35-277BN	600mm x 25M



## FLASHBAND

A Self Adhesive Aluminium Flashing Tape coated with a thick layer of rubber bitumen adhesive protected by a release paper which is removed before application. This easy to use waterproof tape will stick to most surfaces —the adhesive forms a watertight seal.

Order Code	Description
35-300	100mm x 10M
35-301	150mm x 10M
35-302	225mm x 10M



**WE ARE OPEN MONDAY ~ THURSDAY**  
**7.30am till 6.00pm**  
**FRIDAY 7.30am till 5.00pm**  
**SATURDAY 8.00am till 12 noon**

**Are Your Tools SAFE ?**

**NOW AVAILABLE**

**at**

**HARLEQUIN**



**Call our Sales Advisors on  
01563 545 266 for details**

**Testing carried out in-house  
or at your workplace**

**P**ortable  
**A**pppliance  
**T**esting

**WE ARE OPEN:**

**MONDAY ~ THURSDAY 7.30am till 6.00pm**

**FRIDAY 7.30am till 5.00pm and SATURDAY 8.00am till 12 noon**


**ALL NOW AVAILABLE FOR HIRE**



**CALL NOW FOR  
DETAILS**

**HARLEQUIN HIRE**

**HARLEQUIN HIRE is a division of HARLEQUIN FIXINGS & SEALANTS LTD.**



## DISCOUNTED PRICES

We hope all our prices are not only competitive but also fair. Greater savings can be made on larger volume purchases. Some products shown are subject to quantity discounts. **Call 01563 545 266 for further information.**

## ACCOUNT FACILITIES

30 day account facilities are available to local and central government organisations, schools, universities, Plc companies and subject to credit approval to Bona Fide trade customers. **For information call 01563 545 266.**

## GUARANTEED PRODUCTS

All our goods should meet your requirements and carry the manufacturers guarantee. If however any of our products are not to your satisfaction, simply return them to us in their original packaging and condition within 14 days and a full refund or exchange will be made. This does not affect your statutory rights.

## DELIVERY

Usually next day by either our own transport or our chosen reliable carrier service. **Carriage is normally free although customers with orders under a net value of £60 are asked to contribute a subsidised rate of £7.50 toward the cost.**

## PAYMENT

Pay by **Credit Card** when ordering. Its simple and gives you between 30 and 60 days to pay. Also many cards include insurance cover which gives peace of mind particularly on larger purchases. Alternatively pay by **Switch** when ordering or send a **Cheque** with your order ensuring your name and address are printed on the reverse.




### AUTHORISED REPAIR CENTRE

- **SALES**
- **WARRANTY REPAIRS**
- **SERVICING**
- **COLLECTION SERVICE AVAILABLE**

**OPERATOR TRAINING AND CERTIFICATION**  
**(IN HOUSE or ON SITE)**



## TERMS

All orders placed are subject to the trading terms of Harlequin Fixings & Sealants Ltd.  
 A copy of these terms are available on request.

## EASY ORDERING

**Call in to: Unit D, Block 2, Caprington Business Park, Kilmarnock, Ayrshire KA1 5LA**  
**or telephone our Sales Office 01563 545 266**  
**Mon. to Thur. 7.30am-6.00pm Friday 7.30am-5.00pm Sat. 8.00am-12 noon**  
**txt Us 07860 021 944 or Fax our Sales Office 01563 545 267 (24 hours)**  
**or Email our Sales Office (24 hours) on: sales@harlfix.co.uk**

**Harlequin Fixings and Sealants Limited reserve the right to substitute any product with another of equal or superior quality and value.**



**Please make all cheques payable to HARLEQUIN FIXINGS & SEALANTS LIMITED**