



GENERAL PURPOSE SILICONE

This contractors sealant is an economy grade acetoxy curing silicone which provides a permanently water tight flexible seal and offers excellent adhesive properties, making it suitable for use on glass, aluminium, painted surfaces, sanitary ware, ceramics and non-porous surfaces. Suitable for sealing around doors and window frames, sealing glass to glass and glass to aluminium, sealing around pipes and sanitary fixtures and sealing duct work. Draft proofing casement windows and doors.

Order Code	Description
35-006	White
35-007	Clear
35-008	Brown
35-009	Black
35-010	Grey



SKLMA SILICONE

One Part Multi Purpose Low Modulus Construction Silic one that provides a permanently watertight flexible rubber seal on most common building substrates. Common uses include sealing around window and door frames, cap glazing, remedial work, sealing cladding, glass to glass and glass to aluminium. Conforms to BS 5889(A) ISO 11.600 G20 LM Construction - 310ml cartridges.

Order Code	Description
35-110	Oak/Caramel



BATH & SANITARY SILICONE

A premium quality acetoxy curing silicone containing anti-fungal compounds to prevent mould growth in areas subject to high humidity levels. Provides a long lasting, flexible watertight seal that is ideal for domestic or municipal applications. Conforms to ISO 11.600 F&G20 LM. For sealing around baths, showers, basins and all types of sanitary ware and will adhere to most non-porous surfaces.

Order Code	Description
35-116A	Clear
35-117	White



FOREVER WHITE

Forever White is a superior silicone sealant that is permanently water proof and flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. Ideal for use in kitchens and utility rooms and for sealing around window and door frames. With Microban the worlds leading branded anti-bacterial solution integrated into the manufacturing process. Forever White is guaranteed to stop black mould growth for 10 years. Also contains an Anti-Bacterial additive which kills germs - E-Coli, MRSA and Salmonella.

Order Code	Description
35-118	Forever White
35-119	Forever Clear



SILICONE 825

SILICONE 825 is a low modulus, neutral curing Silicone sealant based on an alkoxylated curing system. Specially formulated to provide extra tool down time on longer joints. Conforms to ISO11600 class F 25 LM when tested to ISO9047.

Typically used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames, weatherproofing sealing to most external applications, construction and dilation joints where stress does not occur until fully cured.



Order Code	Description
35-124	SILICONE 825 Industrial Sealant Anthracite
35-125	SILICONE 825 Industrial Sealant Mid Grey
35-125A	SILICONE 825 Industrial Sealant White
35-125B	SILICONE 825 Industrial Sealant Brown
35-125C	SILICONE 825 Industrial Sealant Black
35-125D	SILICONE 825 Industrial Sealant Buff



200 CONTRACTORS LMA SILICONE

Contract grade acetoxy cure silicone. Suitable for general glazing, weatherproofing, sanitary and gap sealing applications. Quick curing, mould resistant. Conforms to BS5889 (excluding clause 9). Sold in 295ml cartridges.

Order Code	Description
35-003	Clear
35-004	White
35-005	Brown
35-005A	Black



LMN 2001 SILICONE

Low Modulus Neutral Cure Silicone is a versatile one part product which can be used for sealing most building, construction and glazing joints. LMN 2001 is almost odourless and cures with atmospheric moisture to form a durable permanent rubber seal. In general a good adhesion is achieved on most building materials such as PVCu, aluminium, stone, concrete and steel. Contains anti-fungal compound to prevent mould growth.



Order	Description
35-264	Clear 310ml cartridge
35-265	White 310ml cartridge
35-266	Brown 310ml cartridge

SX GLAZING SILICONE

A High Modulus Acetoxy Curing Silicone Sealant which conforms to BS 5889(B). For general purpose applications where ahesion to non-porous surfaces is required. Typical uses include top sealing in glazing, sealing metal cladding and certain walling, sealing in refrigeration stores and around worktops. Contains anti-fungal compound to prevent mould growth.



Order	Description
35-100	Clear 310ml cartridge
35-101	White 310ml cartridge
35-102	Brown 310ml cartridge
35-103	Black 310ml cartridge
35-267	Grey 310ml cartridge
35-268	Bronze 310ml cartridge

FIREMATE

Fire Mate Sealant is an intumescent acrylic sealant that swells when exposed to temperatures in excess of 125 °C to prevent the passage of fire and smoke and has a fire rating of up to 4 hours in certain joint configurations. Fire rated to BS 476 Part 20/EN1366-4 (2006).



Order Code	Description
35-144a	White Firemate Sealant

LEAD SHEET SEALANT

Specially formulated to point lead into brickwork. It cures by reaction with atmospheric moisture to give a flexible waterproof joint. Sold in 310 ml Cartridges.



Order Code	Description
35-141	Grey

ROOF & GUTTER SEALANT

A Rubberised Sealant specially developed for repairing leaking gutters, down pipes and flashings. Provides a permanent water resistant and waterproof seal. Will last up to 5-10 years provided manufacturers instructions are followed. Sold in 310ml cartridges



Order Code	Description
35-181	Black

GALVAMATE

A High Performance Solvent Free Adhesive & Sealant, specifically designed for sealing high velocity duct work in heating and ventilating systems. Conforms to DW142 Class D and ISO 11600 (Class F-12.5P). Sold in a C3 Cartridge.



Order Code	Description
35-143	Grey

G.P. BUILDING MASTIC

A Traditional Oil Based Pointing Mastic that provides an effective weather proof seal. Typically used to seal sectional panels and low movement vertical building joints. Sold in C3 cartridges.



Order Code	Description
35-137	White
35-138	Grey
35-140	Brown
35-139	Stone

DECORATORS CAULK

125 One Hour Caulk is a fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper; no sanding down required.



Order Code	Description
35-121A	White
35-122	Brown
35-123	Magnolia

SX POLYSULPHIDE SEALANT

A One Part Polysulphide Sealant designed to seal joints subject to movement where a tough, flexible, watertight seal is required. Ideal for pointing and glazing. Sold in 400ml cartridges.



Order Code	Description
35-126	White
35-127	Grey
35-128	Brown
35-129	Black
35-130	Buff

STIXALL

Based upon new Hybrid PMS Polymer technology is the ultimate combined building adhesive and sealant, with the power to both bond and seal virtually everything to anything. Water resistant, can be applied to wet surfaces.



Order Code	Description
35-109C	Stixall White
35-109CA	Stixall Clear
35-109CB	Stixall Grey
35-109CC	Stixall Black

PINKGRIP

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Can be used inside and outside and adheres to just about every building substrate.



Order Code	Description
35-109B	Pink Grip Adhesive

INSTANT NAILS

Instant Nails is a high strength solvent free gap filling multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Order Code	Description
35-109D	Instant Nails Solvent Free



Tel: 01563 545 266

txtUs: 07860 021 944

Fax: 01563 545 267

Email: sales@harlfix.co.uk

Sealants & Adhesives

www.harlfix.co.uk

SKELETON GUN

Trade Quality Sealant Gun for the application of silicone, mastic etc.



Order Code	Description
35-271	310ml Sealant Gun
35-272	400ml Sealant Gun
35-279	400ml Power Pro Sealant Gun

CT1 POWER GRAB 'n' BOND

Power Grab n Bond is a revolutionary product in the field of heavy duty versatile bonding. The density of Power Grab n Bond is far greater allowing phenomenal results in initial grab. Coupled with the rapid curing will in the majority of applications reduce labour time by at least 50%. Power Grab n Bond has a capacity to adhere to endless materials such as stone, granite, ytong, marble, concrete, all metals (including alloys), polystyrene and most plastics.

Order Code	Description
35-000	CT1 Power Grab 'n' Bond

CT1 SEALANT & CONSTRUCTION ADHESIVE

CT1 will successfully bond Metals (including lead), Glass, Mirrors, Wood and Polystyrene. For all applications, including bathrooms and general building maintenance. As a universal adhesive CT1 bonds to most surfaces and does not attack synthetic material. On mirrors (vertical strips), on natural stone (does not bleed through), polyester, polystyrene foam, wet surfaces, even under water. Repaintable with all common paints.

Order Code	Description
35-350	CT1 White
35-351	CT1 Clear
35-352	CT1 Grey
35-353	CT1 Black
35-354	CT1 Brown
35-355	CT1 Beige
35-356	CT1 Oak



CT1 MULTI-PURPOSE SOLVENT

MultiSolve is a complete new multi-purpose solvent; for the safe removal of adhesives and sealants. Just spray onto the desired surface then within seconds it gets to work leaving the surface ready for treatment. Removes adhesives, sealants, oil, grease, silicon, wax, tar, paraffin, printing ink etc., without leaving any oil film.

Order Code	Description
35-357	CT1 Multisolve



GRIPFILL FILLING ADHESIVE

Universal gap filling adhesive. Bonds wood, plywood, hardboard, chipboard, laminated plastic, brick, rigid insulation material (exc epdm polystyrene), metal, stone, breeze block, ceramics, concrete, sand/cement screeds, plasterboard, cement composite boards, G.R.P. Interior & exterior use.

Order Code	Description
35-109G	Evo-Stik Gripfill Panel Adhesive



FIRE RATED EXPANDING FOAM

Firefoam B2 Gungrade is a quick setting fire rated, one part polyurethane foam designed for application by any standard foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. Firefoam B2 Handheld is a quick setting fire rated, one part

polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations.

Both the above expand on application to up to 50 times the can contents and meets the requirements of the test criteria for BS 476 Part 20; Class B2.

SX Flameguard® B1 Fire Retardent is a one component fire retardant insulation and construction foam developed to make a fire retardant seal between masonry joints. Has excellent fire rating properties. Conforms to DIN 4102-1 Fire Class B1 and DIN EN 13501-2: 2008/1 Class EI 180.




Order Code	Description
35-145A	Everbuild B2 Fire Rated Hand Held Foam 750ml
35-146A	Everbuild B2 Fire Foam Gun Grade
35-146B	Siroflex B1 Fire Foam Hand Held (PINK)
35-146C	Siroflex B1 Fire Foam Gun Grade (PINK)

Fix & Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

Gun Grade Expanding Foam is a quick setting polyurethane based foam. Can be cut, sawn, plastered and sealed over after approximately one hour.

SPIT Universal Foam Cleaner Gun Grade:

Solvent designed for removing uncured polyurethane foams or adhesives. Useful for the cleaning of can valves and PU-foam gun applicators. Suitable for removing uncured foam residue. Excellent for degreasing metal surfaces before application of silicones and polyurethane.



Order Code	Description
35-145	Everbuild Hand Held Foam 750ml
35-146	Everbuild Gun Grade Foam 750ml
35-148	Spit Gun Foam Cleaner 500ml
35-149A	Contractors Foam Gun P45
35-150	Heavy Duty Foam Gun P65
35-150A	Heavy Duty Bendy Foam Gun P75

PINKGRIP DRYFIX GUN GRADE

A revolutionary new type of fast curing, adhesive foam that has been specifically developed for the rapid installation of Plasterboard, Insulation on Boards and other sheet materials such as Roof Decking and Floor boards.

It provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams. The foam expands very minimally on application but enough to fill any gaps on uneven surfaces.

Order Code	Description
35-153A	Pinkgrip Dryfix Gun Grade



Sealants & Adhesives

www.harifix.co.uk

Tel: 015 63 545 266
txt Us: 0786 0 021 944
Fax: 015 63 545 267
Email: sales@harifix.co.uk

HARLEQUIN
FIXINGS & SEALANTS LTD.

PINKGRIP DRYFIX APPLICATOR GUN

Applicator gun for use with Pinkgrip drywall adhesive. Easy flow applicator with on and off switch. Easy to use trigger to control the flow of adhesive. Can be cleaned with Everbuild Solvent Gun Cleaner.

Order Code	Description
35-153B	Pinkgrip Dryfix Applicator Gun



MITRE FAST BONDING SYSTEM

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Also suitable for bonding of MDF, rubber, PVCu, metals etc.



PVA BONDING AGENT

A quick adhesive sealer, bonding agent and cement admixture. For bonding wood, wood veneers, plaster board concrete, polystyrene, carpet, and many other materials. Cement rendering and plaster can be bonded to sound surfaces without the need for hacking back. PVA is generally used on porous surfaces to seal and promote paint adhesion. PVA is water based non toxic and non flammable.

Order Code	Description
35-192	PVA Bond 500ml
35-196	PVA Bond 1L
35-194	PVA Bond 2.5L
35-195	PVA Bond 5L



PVA WOOD GLUE

Easy to use Water Resistant Glue. Bonds wood together to form a permanent & inseparable joint. Conforms to the requirements of category D3/3 and D3/4 of the European standard EN204. Ideal for general woodworking & joinery.



Order Code	Description
35-153	1 Litre Glue
35-155	5 Litre Glue

SUPERGLUE

An Ethyl Cyanoacrylate based Adhesive which has been developed for the bonding of rubbers & plastics such as PVCu.



Order Code	Description
35-191	Superglue - 20g Tube

CONTACT ADHESIVE & CLEANER

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials. **Stick 2 Contact**

Adhesive Thinner & Cleaner is a highly aggressive solvent, specially blended for both thinning All Purpose Contact Adhesive and for cleaning up excess adhesive after application. Works on either wet or dry adhesive.



Order Code	Description
35-169	Stick 2 Contact Adhesive 750L
35-173	Contact Adhesive Thinner & Cleaner 1 Litre

ULTRA LIGHT FILLER

A Non Shrinking Ready to use Ultralight Filling Paste. After curing this product is sandable and paintable with most paints. Ideal for filling large holes and gaps in static joints in one go. Can be used on concrete, brickwork, plasterboard and wood.

Order Code	Description
35-178	Ultra Light Filler - 500ml



FLASHBAND

A Self Adhesive Aluminium Flashing Tape coated with a thick layer of rubber bitumen adhesive protected by a release paper which is removed before application. This easy to use waterproof tape will stick to most surfaces—the adhesive forms a watertight seal.

Order Code	Description
35-300	100mm x 10M
35-301	150mm x 10M
35-302	225mm x 10M



TWO STROKE OIL ADDITIVE

Stihl 078 131 984 01 HP 2-Stroke Engine Oil. Frequently used mineral oil based two-stroke engine oil. Specially developed for Stihl engines. Excellent lubrication and combustion properties. Performance class: JASO FB, ISO-L-EGB. Fuel/oil ratio 1:50. 100 ml (for 5 Litres)



Order Code	Description
60-034	Two Stroke Additive ~ 10 pack

GLASS CLEANER

A Perfumed Coloured Liquid that is non smearing and fast acting. The high specific action of this material allows the removal of a wide variety of contaminants such as nicotine, atmospheric grime, oily deposits, finger marks and dust. Suitable for most types of glass, mirror, plastic and hard surfaces such as chrome and laminates. Non flammable.



Order Code	Description
35-182	Glass Cleaner - 1 Litre

PVCu CLEANER

High Quality Viscous Cleaner that has mild abrasive cleaning qualities for effective cleaning of PVCu window and door frames. Can be used on all types of white and veneer ed PVCu frames, panels, cladding and trims.



Order Code	Description
35-186	PVCu Cleaner — 1 Litre

WOOD FILLER

An all purpose two component poly ester wood filler that provides a tough long lasting repair to all woods. Can be stained and painted, varnished or dyed, even with microporous stains. The filler has exceptional strength and flexibility and may be drilled, nailed, planed or carved once dry. Waterproof and suitable for exterior as well as interior applications.



Order Code	Description
35-936	Pine Wood Filler 500g
35-936A	Mahogany Wood Filler 500g